

## STK32C Polyclonal Antibody

<b>Catalog No :</b>	YT4460
<b>Reactivity :</b>	Human;Mouse
<b>Applications :</b>	WB;IHC;IF;ELISA
<b>Target :</b>	STK32C
<b>Gene Name :</b>	STK32C
<b>Protein Name :</b>	Serine/threonine-protein kinase 32C
<b>Human Gene Id :</b>	282974
<b>Human Swiss Prot No :</b>	Q86UX6
<b>Mouse Gene Id :</b>	57740
<b>Mouse Swiss Prot No :</b>	Q8QZV4
<b>Immunogen :</b>	The antiserum was produced against synthesized peptide derived from human STK32C. AA range:340-389
<b>Specificity :</b>	STK32C Polyclonal Antibody detects endogenous levels of STK32C protein.
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:5000.. IF 1:50-200
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)

**Molecularweight :** 55kD

**Background :** The protein encoded by this gene is a member of the serine/threonine protein kinase family. It is thought that this family member is functional in brain due to its high expression levels there. DNA methylation differences have been found in this gene in monozygotic twins that are discordant for adolescent depression. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2016],

**Function :** catalytic activity:ATP + a protein = ADP + a phosphoprotein.,cofactor:Magnesium.,similarity:Belongs to the protein kinase superfamily. Ser/Thr protein kinase family.,similarity:Contains 1 protein kinase domain.,

**Subcellular Location :** intracellular,

**Expression :** Testis,


**Sort :** 16746


**No4 :** 1

**Host :** Rabbit

**Modifications :** Unmodified

## Products Images





Immunohistochemistry analysis of paraffin-embedded human breast cancer, using STK32C Antibody. The picture on the right is blocked with the STK32C peptide.