

USP28 (Phospho Ser67) rabbit pAb

Catalog No: YP1754

Reactivity: Human; Mouse; Rat

Applications: WB

Target: USP28

Gene Name: USP28 KIAA1515

Protein Name: USP28 (Phospho-Ser67)

Q96RU2

Q5I043

Human Gene Id: 57646

Human Swiss Prot

No:

Mouse Gene ld: 235323

Mouse Swiss Prot

No:

Rat Gene Id: 315639

Rat Swiss Prot No: D3ZJ96

Immunogen: Synthesized peptide derived from human USP28 (Phospho-Ser67)

Specificity: This antibody detects endogenous levels of USP28 (Phospho-Ser67) at Human,

Mouse,Rat

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500-2000

Purification: The antibody was affinity-purified from rabbit serum by affinity-chromatography

using specific immunogen.



Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 118kD

Background: The protein encoded by this gene is a deubiquitinase involved in the DNA

damage pathway and DNA damage-induced apoptosis. Overexpression of this

gene is seen in several cancers. [provided by RefSeq, Oct 2016],

Function: catalytic activity: Ubiquitin C-terminal thioester + H(2)O = ubiquitin + a

thiol., PTM: Phosphorylated upon DNA damage, probably by ATM or

ATR., similarity: Belongs to the peptidase C19 family., similarity: Contains 1 UIM

(ubiquitin-interacting motif) repeat.,

Subcellular Location:


Nucleus, nucleoplasm.

Expression : Brain, Eye,

Sort : 25233


No4:

Products Images



Immunofluorescence analysis of MCF7 cell. 1,primary Antibody was diluted at 1:100(4°C overnight). 2, Goat Anti Rabbit IgG (H&L) - AFluor 594 Secondary antibody(catalog No: RS3611) was diluted at 1:500(room temperature, 50min).





Western Blot analysis of various, using primary antibody at 1:1000 dilution. Secondary antibody(catalog#:RS23920) was diluted at 1:10000