

## **N-cadherin Monoclonal Antibody**

Catalog No: YM0465

**Reactivity:** Human; Mouse; Rat

**Applications:** IHC;IF;FCM;ELISA

Target: N-cadherin

**Fields:** >>Cell adhesion molecules;>>Arrhythmogenic right ventricular cardiomyopathy

Gene Name: CDH2

Protein Name: Cadherin-2

Human Gene Id: 1000

**Human Swiss Prot** 

P19022

No:

Mouse Gene Id: 12558

**Mouse Swiss Prot** 

No:

P15116

Rat Gene Id: 83501

Rat Swiss Prot No: Q9Z1Y3

**Immunogen:** Purified recombinant fragment of human N-cadherin expressed in E. Coli.

**Specificity:** N-cadherin Monoclonal Antibody detects endogenous levels of N-cadherin

protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

**Source:** Monoclonal, Mouse

**Dilution:** IHC 1:200 - 1:1000. IF 1:200 - 1:1000. Flow cytometry: 1:200 - 1:400. ELISA:

1:10000. Not yet tested in other applications.

Purification : Affinity purification

**Storage Stability :** \_-15°C to -25°C/1 year(Do not lower than -25°C)

Cell Pathway: Cell adhesion molecules (CAMs);Arrhythmogenic right ventricular

cardiomyopathy (ARVC);

**P References :** 1. J Biol Chem. 2007 Mar 16;282(11):8545-56.

2. Mol Cell Biochem. 2007 Aug;302(1-2):19-26.

3. Urol Oncol. 2010 Mar-Apr;28(2):180-8.

**Background:** This gene encodes a classical cadherin and member of the cadherin

superfamily. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein is proteolytically processed to generate a calcium-dependent cell adhesion molecule and glycoprotein. This protein plays a role in the establishment of left-right asymmetry, development of the nervous system and the formation of cartilage and bone. [provided by RefSeq, Nov 2015],

**Function:** function:Cadherins are calcium dependent cell adhesion proteins. They

preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types. CDH2 may be involved in neuronal recognition mechanism.,similarity:Contains 5

cadherin domains., subunit: Interacts with CDCP1.,

Subcellular Location:

Cell membrane; Single-pass type I membrane protein. Cell membrane, sarcolemma. Cell junction. Cell surface. Colocalizes with TMEM65 at the intercalated disk in cardiomyocytes. Colocalizes with OBSCN at the intercalated

disk and at sarcolemma in cardiomyocytes. .

**Expression :** Brain, Epithelium, Liver,

Tag: orthogonal

Sort:

**No3**: ab19348


**No4**:

Host: Mouse


Modifications: Unmodified




## **Products Images**




Fusobacterium nucleatum-triggered neutrophil extracellular traps facilitate colorectal carcinoma progression. JOURNAL OF EXPERIMENTAL & CLINICAL CANCER RESEARCH Liang Duan WB Human 1:1000 HCT116 cell, SW480 cell




Western Blot analysis using N-cadherin Monoclonal Antibody against A431 (1), NIH/3T3 (2), HeLa (3), C6 (4) and LNCap (5) cell lysate.



Immunohistochemistry analysis of paraffin-embedded human lung cancer (A), colon cancer (B), ovarian cancer (C) and mammary cancer(D) with DAB staining using N-cadherin Monoclonal Antibody.



Immunofluorescence analysis of A431 cells using N-cadherin Monoclonal Antibody (green). Blue: DRAQ5 fluorescent DNA dye.



Flow cytometric analysis of PC-2 cells using N-cadherin Monoclonal Antibody (green) and negative control (purple).