

Wnt5b mouse mAb

Catalog No: YM1499

Reactivity: Transfected

Applications: WB

Target: Wnt5b

Fields: >>mTOR signaling pathway;>>Wnt signaling pathway;>>Axon

guidance;>>Hippo signaling pathway;>>Signaling pathways regulating

pluripotency of stem cells;>>Melanogenesis;>>Cushing syndrome;>>Alzheimer disease;>>Pathways of neurodegeneration - multiple diseases;>>Human

papillomavirus infection;>>Pathways in cancer;>>Proteoglycans in cancer;>>Basal cell carcinoma;>>Breast cancer;>>Hepatocellular

carcinoma;>>Gastric cancer

Gene Name: wnt5b

Human Gene Id: 81029

Human Swiss Prot Q9H1J7

No:

Mouse Swiss Prot

No:

1-

Immunogen: Purified recombinant human Wnt5b protein fragments expressed in E.coli.

Specificity: Transfected Only.

P22726

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Monoclonal, Mouse

Dilution: wb dilution 1:1000

Purification: The antibody was affinity-purified from mouse ascites by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/2



Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 45kD

Cell Pathway: WNT;WNT-T CELLHedgehog;Melanogenesis;Pathways in cancer;Basal cell

carcinoma;

Background : The WNT gene family consists of structurally related genes which encode

secreted signaling proteins. These proteins have been implicated in oncogenesis and in several developmental processes, including regulation of cell fate and patterning during embryogenesis. This gene is a member of the WNT gene family. It encodes a protein which shows 94% and 80% amino acid identity to the mouse Wnt5b protein and the human WNT5A protein, respectively. Alternative splicing of

this gene generates 2 transcript variants. [provided by RefSeq, Jul 2008],

Function: function:Ligand for members of the frizzled family of seven transmembrane

receptors.,function:Ligand for members of the frizzled family of seven

transmembrane receptors. Probable developmental protein. May be a signaling molecule which affects the development of discrete regions of tissues. Is likely to

signal over only few cell diameters., similarity: Belongs to the Wnt

family., subunit: Interacts with PORCN.,

Subcellular Location:


Secreted, extracellular space, extracellular matrix.

Expression: Brain, Muscle,

Sort: 24319

No4:

Products Images



Western blot detection of Wnt5b in CHO-K1 cell lysate (B) and CHO-K1 transfected by Wnt5b (A) cell lysate using Wnt5b mouse mAb (1:1000 diluted). Predicted band size: 45KDa. Observed band size: 45KDa.