

## CAC1S Polyclonal Antibody

<b>Catalog No :</b>	YN1526
<b>Reactivity :</b>	Human;Rat;Mouse
<b>Applications :</b>	WB;ELISA
<b>Target :</b>	CAC1S
<b>Fields :</b>	>>MAPK signaling pathway;>>Calcium signaling pathway;>>cGMP-PKG signaling pathway;>>cAMP signaling pathway;>>Cardiac muscle contraction;>>Adrenergic signaling in cardiomyocytes;>>Vascular smooth muscle contraction;>>Retrograde endocannabinoid signaling;>>Cholinergic synapse;>>Serotonergic synapse;>>GABAergic synapse;>>Insulin secretion;>>GnRH signaling pathway;>>Oxytocin signaling pathway;>>Renin secretion;>>Aldosterone synthesis and secretion;>>Cortisol synthesis and secretion;>>GnRH secretion;>>Cushing syndrome;>>Growth hormone synthesis, secretion and action;>>Alzheimer disease;>>Prion disease;>>Pathways of neurodegeneration - multiple diseases;>>Chemical carcinogenesis - receptor activation;>>Hypertrophic cardiomyopathy;>>Arrhythmogenic right ventricular cardiomyopathy;>>Dilated cardiomyopathy
<b>Gene Name :</b>	CACNA1S CACH1 CACN1 CACNL1A3
<b>Protein Name :</b>	Voltage-dependent L-type calcium channel subunit alpha-1S (Calcium channel, L type, alpha-1 polypeptide, isoform 3, skeletal muscle) (Voltage-gated calcium channel subunit alpha Cav1.1)
<b>Human Gene Id :</b>	779
<b>Human Swiss Prot No :</b>	Q13698
<b>Mouse Swiss Prot No :</b>	Q02789
<b>Rat Swiss Prot No :</b>	Q02485
<b>Immunogen :</b>	Synthesized peptide derived from human protein . at AA range: 330-410
<b>Specificity :</b>	CAC1S Polyclonal Antibody detects endogenous levels of protein.

<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:500-2000 ELISA 1:5000-20000
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)
<b>Observed Band :</b>	206kD
<b>Cell Pathway :</b>	MAPK_ERK_Growth;MAPK_G_Protein;Calcium;Cardiac muscle contraction;Vascular smooth muscle contraction;GnRH;Alzheimer's disease;Hypertrophic cardiomyopathy (HCM);Arrhythmogenic right ventricular cardiomyopathy
<b>Background :</b>	calcium voltage-gated channel subunit alpha1 S(CACNA1S) Homo sapiens This gene encodes one of the five subunits of the slowly inactivating L-type voltage-dependent calcium channel in skeletal muscle cells. Mutations in this gene have been associated with hypokalemic periodic paralysis, thyrotoxic periodic paralysis and malignant hyperthermia susceptibility. [provided by RefSeq, Jul 2008],
<b>Function :</b>	disease:Defects in CACNA1S are a cause of periodic paralysis hypokalemic (HOKPP) [MIM:170400]; also designated HYPOPP. HOKPP is an autosomal dominant disorder manifested by episodic flaccid generalized muscle weakness associated with falls of serum potassium levels.,disease:Defects in CACNA1S are the cause of malignant hyperthermia susceptibility 5 (MHS5) [MIM:601887]; an autosomal dominant disorder that is potentially lethal in susceptible individuals on exposure to commonly used inhalational anesthetics and depolarizing muscle relaxants.,domain:Each of the four internal repeats contains five hydrophobic transmembrane segments (S1, S2, S3, S5, S6) and one positively charged transmembrane segment (S4). S4 segments probably represent the voltage-sensor and are characterized by a series of positively charged amino acids at every third position.,domain:The loop between repeats II and III in
<b>Subcellular Location :</b>	Cell membrane, sarcolemma, T-tubule ; Multi-pass membrane protein .
<b>Expression :</b>	Skeletal muscle specific.
<b>Sort :</b>	18178

**No4 :** 1

**Host :** Rabbit

**Modifications :** Unmodified

## Products Images