

GST-Pi (ABT256) IHC kit

Catalog No :	IHCM6074
Reactivity :	Human;Mouse;
Applications :	IHC
Target :	GST-Pi
Fields :	>>Glutathione metabolism;>>Metabolism of xenobiotics by cytochrome P450;>>Drug metabolism - cytochrome P450;>>Drug metabolism - other enzymes;>>Metabolic pathways;>>Platinum drug resistance;>>Pathways in cancer;>>Chemical carcinogenesis - DNA adducts;>>Prostate cancer;>>Hepatocellular carcinoma;>>Fluid shear stress and atherosclerosis
Gene Name :	GSTP1 FAEES3 GST3
Protein Name :	Deafness;Deafness X-linked 7;DFN7;FAEES3;Fatty Acid Ethyl Ester Synthase III;Glutathione S Transferase 3;Glutathione S Transferase Pi;Glutathione S-transferase P;Glutathione S-transferase pi 1;GST cla
Human Swiss Prot No :	P09211
Mouse Swiss Prot No :	P19157
Rat Swiss Prot No :	P04906
Immunogen :	Synthesized peptide derived from human GST-Pi AA range: 150-210
Specificity :	The antibody can specifically recognize human GST-Pi protein.
Source :	Mouse, Monoclonal/IgG2b, kappa
Purification :	The antibody was affinity-purified from ascites by affinity-chromatography using specific immunogen.
Storage Stability :	2°C to 8°C/1 year
Background :	Glutathione S-transferases (GSTs) are a family of enzymes that play an important role in detoxification by catalyzing the conjugation of many hydrophobic

and electrophilic compounds with reduced glutathione. Based on their biochemical, immunologic, and structural properties, the soluble GSTs are categorized into 4 main classes: alpha, mu, pi, and theta. This GST family member is a polymorphic gene encoding active, functionally different GSTP1 variant proteins that are thought to function in xenobiotic metabolism and play a role in susceptibility to cancer, and other diseases. [provided by RefSeq, Jul 2008],

Function :

catalytic activity:RX + glutathione = HX + R-S-glutathione.,function:Conjugation of reduced glutathione to a wide number of exogenous and endogenous hydrophobic electrophiles.,online information:The Singapore human mutation and polymorphism database,similarity:Belongs to the GST superfamily. Pi family.,similarity:Contains 1 GST C-terminal domain.,similarity:Contains 1 GST N-terminal domain.,subunit:Homodimer.,

Subcellular Location :

Cytoplasmic

Expression :

Esophageal squamous cell carcinoma


Tag :

hot

Sort :

999

Products Images



Human esophageal squamous cell carcinoma tissue was stained with Anti-GST-Pi (ABT256) Antibody