

## **AGR3 Polyclonal Antibody**

Catalog No: YT0142

**Reactivity:** Human; Mouse

**Applications:** IHC;IF;ELISA

Target: AGR3

Gene Name: AGR3

**Protein Name:** Anterior gradient protein 3 homolog

**Q8TD06** 

**Q8R3W7** 

Human Gene Id: 155465

**Human Swiss Prot** 

No:

Mouse Gene Id: 403205

**Mouse Swiss Prot** 

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

AGR3. AA range:1-50

**Specificity:** AGR3 Polyclonal Antibody detects endogenous levels of AGR3 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:5000. Not yet tested in other

applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

**Storage Stability:** -15°C to -25°C/1 year(Do not lower than -25°C)

1/3

Molecularweight: 19kD

**Background:** similarity:Belongs to the AGR family.,subunit:Interacts with LYPD3 and alpha-

dystroglycan.,

Function: similarity:Belongs to the AGR family.,subunit:Interacts with LYPD3 and alpha-

dystroglycan.,

**Subcellular** Endoplasmic reticulum . Found in the cytoplasm, which could include the

**Location:** endoplasmic reticulum. .

**Expression:** Expressed in the lung, in the ciliated cells of the airway epithelium

(PubMed:25751668). Expression increased with differentiation of airway epithelial

cells (PubMed:25751668). Not detected in the mucous cells (PubMed:25751668). Expressed in ciliated cells in the oviduct


(PubMed:26170690). Also detected in stomach, colon, prostate and liver (PubMed:25751668). Expressed in breast, ovary, prostate and liver cancer (PubMed:26170690). Expression is associated with the level of differentiation of

breast cancer (at protein level) (PubMed:26170690).


**Sort :** 1789

No4:

## **Products Images**



Immunofluorescence analysis of COS7 cells, using AGR3 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using AGR3 Antibody. The picture on the right is blocked with the synthesized peptide.