

Olfactory receptor 5D13 Polyclonal Antibody

| Catalog No : | YT3400 |
|---------------------|---|
| Reactivity : | Human;Monkey |
| Applications : | WB;IF;ELISA |
| Target : | Olfactory receptor 5D13 |
| Fields : | >>Olfactory transduction |
| Gene Name : | OR5D13 |
| Protein Name : | Olfactory receptor 5D13 |
| Human Gene Id : | 390142 |
| Human Swiss Prot | Q8NGL4 |
| No: | |
| Immunogen : | The antiserum was produced against synthesized peptide derived from human OR5D13. AA range:265-314 |
| Specificity : | Olfactory receptor 5D13 Polyclonal Antibody detects endogenous levels of Olfactory receptor 5D13 protein. |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Polyclonal, Rabbit,IgG |
| Dilution : | WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in other applications. |
| Purification : | The antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen. |
| Concentration : | 1 mg/ml |
| Storage Stability : | -15°C to -25°C/1 year(Do not lower than -25°C) |



Best Tools for immunology Research

Observed Band : 35kD

| Cell Pathway : | Olfactory transduction |
|----------------|------------------------|


Background : Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding a

 Function :
 function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,

Cell membrane; Multi-pass membrane protein.

Subcellular Location :

Products Images



Western blot analysis of lysates from COS7 cells, using OR5D13 Antibody. The lane on the right is blocked with the synthesized peptide.



