

TIAF1 Polyclonal Antibody

YN0280 Catalog No:

Reactivity: Human; Rat; Mouse;

WB;ELISA **Applications:**

Target: TIAF1

Gene Name: TIAF1

Protein Name: TGFB1-induced anti-apoptotic factor 1 (12 kDa TGF-beta-1-induced

antiapoptotic factor)

O95411

Human Gene Id: 9220

Human Swiss Prot

No:

Immunogen: Synthesized peptide derived from human protein . at AA range: 10-90

TIAF1 Polyclonal Antibody detects endogenous levels of protein. **Specificity:**

Formulation: Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500-2000 ELISA 1:5000-20000

The antibody was affinity-purified from rabbit antiserum by affinity-**Purification:**

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

-15°C to -25°C/1 year(Do not lower than -25°C) **Storage Stability:**

Observed Band: 12kD

caution: The TIAF1 protein is coded in the 3'-UTR region of **Background:**

MYO18A., function: Inhibits the cytotoxic effects of TNF-alpha and overexpressed

TNF receptor adapters TRADD, FADD, and RIP. Involved in TGF-beta1 inhibition of IkappaB-alpha expression and suppression of TNF-mediated IkappaB-alpha degradation.,

Function:

caution:The TIAF1 protein is coded in the 3'-UTR region of MYO18A.,function:Inhibits the cytotoxic effects of TNF-alpha and overexpressed TNF receptor adapters TRADD, FADD, and RIP. Involved in TGF-beta1 inhibition of IkappaB-alpha expression and suppression of TNF-mediated IkappaB-alpha degradation.,


Subcellular Location :

[Isoform TIAF1]: Nucleus .

Expression:

Not detectable in normal kidney and liver. Up-regulated in chronic and acute allograft rejection: expressed in the inflammatory infiltrate and in tubular epithelial cells.

Products Images



Western blot analysis of lysates from K562 cells, primary antibody was diluted at 1:1000, 4° over night