

## **CANB1 Polyclonal Antibody**

Catalog No: YN0514

**Reactivity:** Human; Mouse; Rat

**Applications:** WB;ELISA

Target: CANB1

**Fields:** >>MAPK signaling pathway;>>Calcium signaling pathway;>>cGMP-PKG

signaling pathway:>>Oocyte meiosis:>>Cellular senescence:>>Wnt signaling

pathway;>>Axon guidance;>>VEGF signaling pathway;>>Osteoclast

differentiation;>>C-type lectin receptor signaling pathway;>>Natural killer cell

mediated cytotoxicity;>>Th1 and Th2 cell differentiation;>>Th17 cell

differentiation;>>T cell receptor signaling pathway;>>B cell receptor signaling pathway;>>Long-term potentiation;>>Glutamatergic synapse;>>Oxytocin

signaling pathway;>>Glucagon signaling pathway;>>Renin

secretion;>>Alzheimer disease;>>Amyotrophic lateral sclerosis;>>Prion

disease;>>Pathways of neurodegeneration - multiple diseases;>>Amphetamine addiction:>>Tuberculosis:>>Human cytomegalovirus infection:>>Human T-cell

leukemia virus 1 infection;>>Kaposi sarcoma-associated herpesvirus

infection;>>Human immunodeficiency virus 1 infection;>>PD-L1 expression and

PD-1 checkpoint pathway in cancer;>>Lipid and atherosclerosis

Gene Name: PPP3R1 CNA2 CNB

Protein Name: Calcineurin subunit B type 1 (Protein phosphatase 2B regulatory subunit 1)

(Protein phosphatase 3 regulatory subunit B alpha isoform 1)

Human Gene Id: 5534

**Human Swiss Prot** P63098

No:

Mouse Swiss Prot Q63810

No:

Rat Swiss Prot No: P63100

**Immunogen:** Synthesized peptide derived from part region of human protein

**Specificity:** CANB1 Polyclonal Antibody detects endogenous levels of protein.



Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Formulation:

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500-2000 ELISA 1:5000-20000

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

-15°C to -25°C/1 year(Do not lower than -25°C) **Storage Stability:** 

**Observed Band:** 18kD

MAPK\_ERK\_Growth;MAPK\_G\_Protein;Calcium;Oocyte meiosis;Apoptosis\_Inhi **Cell Pathway:** 

bition: Apoptosis Mitochondrial: Apoptosis Overview: WNT: WNT-T CELLAxon

guidance;VEGF;Natural killer cell mediated cytotoxicity;T Cell

function: Regulatory subunit of calcineurin, a calcium-dependent, calmodulin **Background:** 

stimulated protein phosphatase. Confers calcium sensitivity., miscellaneous: This

protein has four functional calcium-binding sites., similarity: Belongs to the calcineurin regulatory subunit family., similarity: Contains 4 EF-hand

domains., subunit: Composed of a catalytic subunit (A) and a regulatory subunit

(B).,

**Function:** function: Regulatory subunit of calcineurin, a calcium-dependent, calmodulin

stimulated protein phosphatase. Confers calcium sensitivity., miscellaneous: This

protein has four functional calcium-binding sites., similarity: Belongs to the

calcineurin regulatory subunit family., similarity: Contains 4 EF-hand domains., subunit: Composed of a catalytic subunit (A) and a regulatory subunit

(B).,

Subcellular


Cytoplasm, cytosol . Cell membrane . Cell membrane, sarcolemma . Cell Location:

membrane: Lipid-anchor. Translocates from the cytosol to the sarcolemma in a

CIB1-dependent manner during cardiomyocyte hypertrophy...

**Expression:** Blood, Fetal brain cortex,

## **Products Images**



Western blot analysis of lysates from SW480 cells, primary antibody was diluted at 1:1000, 4° over night