

## MMP20 (Cleaved-Tyr108) rabbit pAb

| Catalog No :             | YC0188  |
|--------------------------|---|
| Reactivity :             | Human;Mouse;Rat   |
| Applications :           | WB;IHC  |
| Target :                 | MMP20   |
| Gene Name :              | MMP20   |
| Protein Name :           | MMP20 (Cleaved-Tyr108)  |
| Human Gene Id :          | 9313  |
| Human Swiss Prot<br>No : | O60882  |
| Mouse Gene Id :          | 30800   |
| Mouse Swiss Prot<br>No : | P57748  |
| Immunogen :              | Synthesized peptide derived from human MMP20 (Cleaved-Tyr108)   |
| Specificity :            | This antibody detects endogenous levels of Human, Mouse, Rat MMP20 (Cleaved-Tyr108, protein was cleaved amino acid sequence between 107-108 ) |
| Formulation :            | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| Source :                 | Polyclonal, Rabbit,IgG  |
| Dilution :               | WB 1:500-2000;IHC 1:50-300  |
| Purification :           | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.                                     |
| Concentration :          | 1 mg/ml   |
| Storage Stability :      | -15°C to -25°C/1 year(Do not lower than -25°C)  |



Observed Band : 42 53kD


Secreted, extracellular space, extracellular matrix.

Location : Expression :

**Subcellular** 

Expressed specifically in the enamel organ.

## **Products Images**



Immunohistochemical analysis of paraffin-embedded human Squamous cell carcinoma of lung. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).