

PP2B-Aa Monoclonal Antibody

YM1080 Catalog No:

Reactivity: Human; Mouse; Rat

WB Applications:

Target: PP2B-Aa

Fields: >>MAPK signaling pathway;>>Calcium signaling pathway;>>cGMP-PKG

signaling pathway:>>Oocyte meiosis:>>Cellular senescence:>>Wnt signaling

pathway;>>Axon guidance;>>VEGF signaling pathway;>>Osteoclast

differentiation;>>C-type lectin receptor signaling pathway;>>Natural killer cell

mediated cytotoxicity;>>Th1 and Th2 cell differentiation;>>Th17 cell

differentiation;>>T cell receptor signaling pathway;>>B cell receptor signaling pathway;>>Long-term potentiation;>>Glutamatergic synapse;>>Dopaminergic synapse;>>Oxytocin signaling pathway;>>Glucagon signaling pathway;>>Renin

secretion;>>Alzheimer disease;>>Amyotrophic lateral sclerosis;>>Prion

disease;>>Pathways of neurodegeneration - multiple diseases;>>Amphetamine addiction;>>Tuberculosis;>>Human cytomegalovirus infection;>>Human T-cell

leukemia virus 1 infection;>>Kaposi sarcoma-associated herpesvirus

infection;>>Human immunodeficiency virus 1 infection;>>PD-L1 expression and

PD-1 checkpoint pathway in cancer;>>Lipid and atherosclerosis

Gene Name: PPP3CA

Protein Name: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform

Human Gene Id: 5530

Human Swiss Prot

Q08209

No:

Mouse Gene Id: 19055

Mouse Swiss Prot

P63328

No:

Rat Gene Id: 24674

Rat Swiss Prot No: P63329

1/3



Immunogen : Purified recombinant human PP2B-Aα protein fragments expressed in E.coli.

Specificity: PP2B-Aa Monoclonal Antibody detects endogenous levels of PP2B-Aa protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Monoclonal, Mouse

Dilution: WB 1:1000 - 1:2000. Not yet tested in other applications.

Purification : Affinity purification

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 59kD

Cell Pathway: MAPK_ERK_Growth;MAPK_G_Protein;Calcium;Oocyte meiosis;Apoptosis_Inhi

bition; Apoptosis Mitochondrial; Apoptosis Overview; WNT; WNT-T CELLAxon

guidance; VEGF; Natural killer cell mediated cytotoxicity; T_Cell_

Background: catalytic activity: A phosphoprotein + H(2)O = a protein +

phosphate.,cofactor:Binds 1 Fe(3+) ion per subunit.,cofactor:Binds 1 zinc ion per subunit.,function:Calcium-dependent, calmodulin-stimulated protein phosphatase.

This subunit may have a role in the calmodulin activation of calcineurin.

Dephosphorylates HSPB1 and SSH1.,online information:Calcineurin

entry, similarity: Belongs to the PPP phosphatase family., similarity: Belongs to the PPP phosphatase family. PP-2B subfamily., subcellular location: Colocalizes with ACTN1 and MYOZ2 at the Z line in heart and skeletal muscle., subunit: Composed of two components (A and B), the A component is the catalytic subunit and the B component confers calcium sensitivity. Interacts with TORC2/CRTC2, MYOZ1,

MYOZ2 and MYOZ3.,

Function : catalytic activity: A phosphoprotein + H(2)O = a protein +

phosphate.,cofactor:Binds 1 Fe(3+) ion per subunit.,cofactor:Binds 1 zinc ion per subunit.,function:Calcium-dependent, calmodulin-stimulated protein phosphatase.

This subunit may have a role in the calmodulin activation of calcineurin. Dephosphorylates HSPB1 and SSH1.,online information:Calcineurin

entry, similarity: Belongs to the PPP phosphatase family., similarity: Belongs to the PPP phosphatase family. PP-2B subfamily., subcellular location: Colocalizes with ACTN1 and MYOZ2 at the Z line in heart and skeletal muscle., subunit: Composed of two components (A and B), the A component is the catalytic subunit and the B component confers calcium sensitivity. Interacts with TORC2/CRTC2, MYOZ1,

MYOZ2 and MYOZ3..



Subcellular Location:

Cytoplasm . Cell membrane ; Peripheral membrane protein . Cell membrane, sarcolemma . Cytoplasm, myofibril, sarcomere, Z line . Cell projection, dendritic spine . Colocalizes with ACTN1 and MYOZ2 at the Z line in heart and skeletal muscle (By similarity). Recruited to the cell membrane by scaffold protein AKAP5 following L-type Ca(2+)-channel activation (PubMed:22343722).

Expression:

Expressed in keratinocytes (at protein level) (PubMed:29043977). Expressed in lymphoblasts (at protein level) (PubMed:30254215).

Products Images (kD) Western Blot analysis using PP2B-Aα Monoclonal Antibody against A431, HeLa cell lysate. PP2B-Aα PP2B-Aα PP2B-Aα PP2B-Aα