

## 4.1G Polyclonal Antibody

Catalog No: YT0016

**Reactivity:** Human; Rat; Mouse;

**Applications:** WB;IHC;IF;ELISA

Target: 4.1G

Gene Name: EPB41L2

Protein Name: Band 4.1-like protein 2

043491

O70318

**Human Gene Id:** 2037

**Human Swiss Prot** 

No:

**Mouse Swiss Prot** 

No:

**Immunogen:** Synthesized peptide derived from 4.1G. at AA range: 530-610

**Specificity:** 4.1G Polyclonal Antibody detects endogenous levels of 4.1G protein.

**Formulation:** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, lgG

**Dilution :** WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000.. IF 1:50-200

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Concentration**: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 112kD



**Cell Pathway:** Tight junction;

Background: PTM:Phosphorylated upon DNA damage, probably by ATM or

ATR., similarity: Contains 1 FERM domain., subunit: The CTD domain interacts with

FKBP2 (By similarity). Interacts with FCGR1A.,tissue specificity:Widely

expressed.,

**Function:** PTM:Phosphorylated upon DNA damage, probably by ATM or

ATR., similarity: Contains 1 FERM domain., subunit: The CTD domain interacts with

FKBP2 (By similarity). Interacts with FCGR1A.,tissue specificity:Widely


expressed.,

Subcellular Location:


Cytoplasm, cytoskeleton . Cytoplasm, cell cortex . Cell membrane .

**Expression:** Widely expressed.

## **Products Images**



Western Blot analysis of various cells using 4.1G Polyclonal Antibody



Western Blot analysis of K562 cells using 4.1G Polyclonal Antibody





Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).