

Nanoantibody anti Mouse for IP (AbFluor 800)

CatalogNo: RS0091

Key Features

Reactivity

- Mouse

Conjugate

- AbFluor 800

Applications

- WB,IF

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Recommended Dilution Ratios

WB 5000-20000

Basic Information

Source Camel, VHH his-tag

Purification Camel, VHH his-tag

Immunogen Information


Specificity

This antibody is immunoblotting reagents that enable the trouble-free detection of immunoblotted target protein bands, without interference from denatured IgG. This allows to detect the (co-)immunoprecipitated protein without masking by the IgG heavy (50 kDa) and light chains (25 kDa). In general, this interference tends to originate from secondary antibodies which recognize primary antibodies released with the antigen during the immunoprecipitation procedure or endogenous IgGs from the lysate itself. This antibody only recognize native (non-reduced) antibodies and therefore the detection of heavy and light chains is highly minimized. This antibody has no reaction with Rabbit/Human IgGs.


Target Information

Protein Name

Validation Data



Immunoprecipitating GAPDH in HeLa whole cell lysate with mouse anti GAPDH antibody (Catalog YM3029). Western blot was performed on the immunoprecipitate using anti-GAPDH antibody at 1:5000 dilution, and followed by the AbFluor 800 labeled anti-Mouse IgG antibody at 1:5000 dilution. Lane 1 (Input): 20ug HeLa whole cell lysate. Lane 2 (-): Mouse monoclonal IgG1 Isotype Control (Catalog VN0001,) instead of GAPDH antibody in HeLa whole cell lysate. Lane 3 (+): 6ug GAPDH antibody IP in 1000ug HeLa whole cell lysate



Immunoprecipitating GAPDH in HeLa whole cell lysate with mouse anti GAPDH antibody (Catalog YM3029). Western blot was performed on the immunoprecipitate using anti-GAPDH antibody at 1:5000 dilution, and followed by the AbFluor 800 labeled anti-Mouse IgG antibody at 1:5000 dilution. Lane 1 (Input): 20ug HeLa whole cell lysate. Lane 2 (-): Mouse monoclonal IgG1 Isotype Control (Catalog VN0001,) instead of GAPDH antibody in HeLa whole cell lysate. Lane 3 (+): 6ug GAPDH antibody IP in 1000ug HeLa whole cell lysate

Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com
Telephone: 877-594-3616 (Toll Free), 408-747-0185
Website: <http://www.immunoway.com>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
Nanoantibody anti Mouse for IP (AbFluor 800)

