

GSDMD (PTR1398) Mouse mAb

CatalogNo: YM4266

Key Features

Host Species Mouse

MW • 53kD,31kD (Calculated) 53kD,31kD (Observed) Reactivity

Human,Mouse,Rat,

ApplicationsWB,IF,ELISA

IsotypeIgG1,kappa

Recommended Dilution Ratios

WB 1:500-2000 IF 1:100-500 ELISA 1:1000-5000

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationPBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

Basic Information

Clonality	y N	1onoclonal

Clone Number PTR1398

Immunogen Information

Immunogen AA range: 1-100

Specificity This antibody detects endogenous levels of GSDMD protein.

Target Information

Gene name	GSDMD		
Protein Name	Gasdermin domain-containing protein 1,Gasdermin-D,GSDMD,GSDMD-CT,GSDMD- NT,GSDMD_HUMAN		
	Organism	Gene ID	UniProt ID
	Human		<u>P57764;</u>
Cellular Localization	Cytoplasm		
Tissue specificity	Expressed in the suprabasal cells of esophagus, as well as in the isthmus/neck, pit, and gland of the stomach, suggesting preferential expression in differentiating cells.		
Function	Cleavage at Asp-275 by CASP1 (mature and uncleaved precursor forms), CASP4, CASP5 or CASP8 relieves autoinhibition and is sufficient to initiate pyroptosis (PubMed:26375003, PubMed:29898893, PubMed:32109412). Cleavage by CASP1 and CASP4 is not strictly dependent on the consensus cleavage site on GSDMD but depends on an exosite interface on CASP1 that recognizes and binds the Gasdermin-D, C-terminal (GSDMD-CT) part (PubMed:32109412). Cleavage by CASP8 takes place following inactivation of MAP3K7/TAK1 by Yersinia toxin YopJ (By similarity). Cleavage at Asp-87 by CASP3 or CAPS7 inactivates the ability to mediate pyroptosis (PubMed:28392147, PubMed:28045099).		

Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-GSDMD (PTR1398) antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: U2OS Lane 2: THP-1 Lane 3: Mouse brain Lane 4: Rat womb Predicted band size: 53,31kDa Observed band size: 53,31kDa

Contact information

Orders:	order@immunoway.com
Support:	tech@immunoway.com
Telephone:	877-594-3616 (Toll Free), 408-747-0185
Website:	http://www.immunoway.com
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **GSDMD (PTR1398) Mouse mAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3