

# c-Kit/CD117 (PT0818R) PT® Rabbit mAb

CatalogNo: YM8577 Recombinant R

## **Key Features**

**Host Species** 

Rabbit

MW

Human, MouseIsotype

110kD (Calculated)
130kD (Observed)

• IgG,Kappa

Reactivity

**Applications** 

• WB,IF,IP,ELISA

### **Recommended Dilution Ratios**

WB 1:500-1:2000 IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200

# Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

## **I** Basic Information

**Clonality** Monoclonal

Clone Number PT0818R

# Immunogen Information

**Specificity** Endogenous

# | Target Information

#### Gene name

KIT SCFR

#### **Protein Name**

C Kit;c-Kit Ligand;CD117;Kit;Kit Ligand;KIT oncogene;KIT proto oncogene receptor tyrosine kinase;KIT\_HUMAN;Mast cell growth factor receptor;Mast/stem cell growth factor receptor Kit;MGF;p145 c-kit;PBT;Piebald trait protein;Proto oncogene c Kit;Proto oncogene tyrosine protein kinase Kit;Proto-oncogene c-Kit;SCF Receptor;SCFR;soluble KIT variant 1;Steel Factor Receptor;Stem cell factor receptor;tyrosine protein kinase Kit;Tyrosine-protein kinase Kit;v kit Hardy Zuckerman 4 feline sarcoma viral oncogene homolog;v kit Hardy Zuckerman 4 feline sarcoma viral oncogene like protein;v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog

Organism	Gene ID	UniProt ID	
Human	<u>3815</u> ;	<u>P10721;</u>	
Mouse		<u>P05532;</u>	

### Cellular Localization


Cytoplasmic, Membranous

### Tissue specificity Appendix


#### **Function**

Catalytic activity:ATP + a [protein]-L-tyrosine = ADP + a [protein]-L-tyrosine phosphate.,Disease:Defects in KIT are a cause of gastrointestinal stromal tumor (GIST) [MIM:606764].,Disease:Defects in KIT are a cause of piebaldism [MIM:172800]. Piebaldism is an autosomal dominant genetic developmental abnormality of pigmentation characterized by congenital patches of white skin and hair that lack melanocytes.,Disease:Defects in KIT have been associated with testicular tumors [MIM:273300]. It includes germ cell tumor (GCT) or testicular germ cell tumor (TGCT).,Function:This is the receptor for stem cell factor (mast cell growth factor). It has a tyrosine-protein kinase activity. Binding of the ligands leads to the autophosphorylation of KIT and its association with substrates such as phosphatidylinositol 3-kinase (Pi3K).,online information:CD117 entry,similarity:Belongs to the protein kinase superfamily. Tyr protein kinase family.,similarity:Belongs to the protein kinase superfamily. Tyr protein kinase family. CSF-1/PDGF receptor subfamily.,similarity:Contains 1 protein kinase domain.,similarity:Contains 5 Ig-like C2-type (immunoglobulin-like) domains.,subunit:Interacts with APS. Interacts with MPDZ (via the tenth PDZ domain). Interacts with PTPRU.,

# **| Validation Data**



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-CD117/c-Kit antibody. The HRP-conjugated Goat anti-Rabbit IgG (H  $\pm$  L) antibody was used to detect the antibody. Lane 1: Mouse brain Predicted band size: 110kDa Observed band size: 130kDa



Immunofluorescence analysis of A549. 1,primary Antibody was diluted at 1:200(4°C overnight). 2, Goat Anti Rabbit IgG (H&L) - Alexa Fluor 488 Secondary antibody was diluted at 1:1000(room temperature, 50min).3, DAPI(blue) 10min.

### I Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

c-Kit/CD117 (PT0818R) PT® Rabbit mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents