

# UBC12 (PT1625R) PT™ Rabbit mAb

CatalogNo: YM9467 **Recombinant** 

## Key Features

### Host Species

- Rabbit

### Reactivity

- Human, Mouse, Rat

### Applications

- WB, IHC, IF, IP, ELISA

### MW

- 21kD (Calculated)
- 21kD (Observed)

### Isotype

- IgG, Kappa

## Storage

**Storage\*** -15°C to -25°C/1 year (Do not lower than -25°C)**Formulation** PBS, 50% glycerol, 0.05% Proclin 300, 0.05% BSA

## Recommended Dilution Ratios

**IHC 1:200-1:1000****WB 1:2000-1:10000****IF 1:200-1:1000****ELISA 1:5000-1:20000****IP 1:50-1:200**

## Basic Information

**Clonality** Monoclonal**Clone Number** PT1625R

## Immunogen Information

**Specificity** Endogenous

## Target Information

**Gene name** UBE2M UBC12


**Protein Name** UBC12

| Organism | Gene ID                 | UniProt ID               |
|----------|-------------------------|--------------------------|
| Human    | <a href="#">9040</a> ;  | <a href="#">P61081</a> ; |
| Mouse    | <a href="#">22192</a> ; | <a href="#">P61082</a> ; |


**Cellular Localization** cytoplasm,cytosol,extracellular exosome,

**Function** Catalytic activity:ATP + NEDD8 + protein lysine = AMP + diphosphate + protein N-NEDD8yllysine.,Domain:Both the N-terminal docking peptide and the catalytic core domain must bind the uba3-nae1 complex simultaneously for optimal transfer of nedd8.,Function:Accepts the ubiquitin-like protein NEDD8 from the UBA3-NAE1 E1 complex and catalyzes its covalent attachment to other proteins. The specific interaction with the E3 ubiquitin ligase rbx1, but not rbx2, suggests that the rbx1-ube2m complex neddylates specific target proteins, such as cul1, cul2, cul3 and cul4. Involved in cell proliferation.,pathway:Protein modification; protein neddylation.,similarity:Belongs to the ubiquitin-conjugating enzyme family. UBC12 subfamily.,subunit:Interacts with UBA3 and RBX1.,

## Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-UBC12 (PT1625R) antibody. The HRP-conjugated Goat anti-Rabbit IgG (H + L) antibody was used to detect the antibody. Lane 1: Ramos Lane 2: HepG2 Lane 3: RAW264.7 Lane 4: Rat kidney Predicted band size: 21kDa Observed band size: 21kDa



Human tonsil was stained with anti-UBC12 (PT1625R) Rabbit antibody

## | Contact information

Orders: [order@immunoway.com](mailto:order@immunoway.com)  
Support: [tech@immunoway.com](mailto:tech@immunoway.com)  
Telephone: 877-594-3616 (Toll Free), 408-747-0185  
Website: <http://www.immunoway.com>  
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code  
to access additional  
product information:  
**UBC12 (PT1625R)**  
**PT™ Rabbit mAb**

---

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)