**Applications** 

IHC,IF,WB,ELISA



# **NIFK Rabbit pAb**

CatalogNo: YT3127

# | Key Features

Host Species Reactivity

RabbitHuman, Mouse

MW Isotype
• 34kD (Observed) • IgG

#### **Recommended Dilution Ratios**

WB 1:500-2000 IHC 1:100-1:300 IF 1:200-1:1000 ELISA 1:5000

Not yet tested in other applications.

## Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

# **Basic Information**

**Clonality** Polyclonal

## Immunogen Information

Immunogen The antiserum was produced against synthesized peptide derived from human NIFK. AA

range:200-249

**Specificity** NIFK Polyclonal Antibody detects endogenous levels of NIFK protein.

### | Target Information

Gene name

MKI67IP

**Protein Name** 

MKI67 FHA domain-interacting nucleolar phosphoprotein

Organism	Gene ID	UniProt ID
Human	<u>84365;</u>	Q9BYG3;
Mouse	<u>67949;</u>	<u>Q91VE6;</u>

Cellular Localization Nucleus, nucleolus. Chromosome. Localizes to mitotic chromosomes in conjunction with

MKI67.


**Tissue specificity** Brain, Cervix carcinoma, Epithelium, Lung, Plac

**Function** 


PTM:Sequentially phosphorylated on Thr-238, Thr-234 and Ser-230. Thr-234 is phosphorylated only when Thr-238 is phosphorylated. Likewise, phosphorylation at Ser-230 requires that Thr-234 and Thr-238 are phosphorylated. Phosphorylation enhances MKI67 binding., similarity: Contains 1 RRM (RNA recognition motif) domain., subcellular location:Localizes to mitotic chromosomes in conjunction with MKI67., subunit:Binds to the

FHA domain of MKI67; this interaction is enhanced in mitosis.,


#### **I** Validation Data



Immunofluorescence analysis of HUVEC cells, using NIFK Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using NIFK Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from K562 cells, primary antibody was diluted at 1:1000, 4°over night

#### | Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **NIFK Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents