

www.immunoway.com

TGF-α Rabbit pAb

CatalogNo: YT4626 Orthogonal Validated 💽

Key Features

Host Species • Rabbit	Reactivity Human,Mouse,Rat,Monkey 	Applications • WB,IHC,IF,ELISA
MW • 10kD (Observed)	Isotype • IgG	

Recommended Dilution Ratios

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:10000 IF 1:50-200

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	The antiserum was produced against synthesized peptide derived from human TGF alpha. AA range:111-160
Specificity	TGFα Polyclonal Antibody detects endogenous levels of TGFα protein.

Target Information

Gene name	TGFA		
Protein Name	Protransforming growth factor al Organism	pha Gene ID	UniProt ID
	Human	<u>7039;</u>	<u>P01135;</u>
	Mouse	<u>21802;</u>	<u>P48030;</u>
	Rat	<u>24827;</u>	<u>P01134;</u>
Cellular Localization	[Transforming growth factor alpha]: Secreted, extracellular space.; [Protransforming growth factor alpha]: Cell membrane; Single-pass type I membrane protein.		
Tissue specificity	Isoform 1, isoform 3 and isoform lines.	4 are expressed in ke	ratinocytes and tumor-derived cell
Function	Function:TGF alpha is a mitogenic polypeptide that is able to bind to the EGF receptor and to act synergistically with TGF beta to promote anchorage-independent cell proliferation in soft agar.,similarity:Contains 1 EGF-like domain.,subunit:Interacts with the PDZ domains of MAGI3, SDCBP and SNTA1. The interaction with SDCBP, is required for the targeting to the cell surface. In the endoplasmic reticulum, in its immature form (i.e. with a prosegment and lacking full N-glycosylation), interacts with CNIH. In the Golgi apparatus, may form a complex with CNIH and GORASP2.,		

Validation Data



Western Blot analysis of various cells using TGF Polyclonal Antibody



Immunohistochemistry analysis of paraffin-embedded human colon carcinoma tissue, using TGF alpha Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from COS7 cells, using TGF alpha Antibody. The lane on the right is blocked with the synthesized peptide.

Contact information

Orders:	order@immunoway.com
Support:	tech@immunoway.com
Telephone:	877-594-3616 (Toll Free), 408-747-0185
Website:	http://www.immunoway.com
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **TGF-α Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents