

# Nanoantibody anti Mouse for IP (AbFluor 800)

CatalogNo: RS0091

## Key Features

Reactivity

Mouse

Applications
• WB,IP,mIHC,IF

Conjugate • AbFluor 800

#### **Recommended Dilution Ratios**

WB/IP 5000-20000

#### **Storage**

**Storage\*** -15°C to -25°C/1 year(Do not lower than -25°C)

#### **Basic Information**

Source Camel,VHH his-tag

Purification Camel,VHH his-tag


#### Immunogen Information

**Specificity** This antibody is immunoblotting reagents that enable the trouble-free detection of immunoblotted target protein bands, without interference from denatured IgG. This allows to detect the (co-)immunoprecipitated protein without masking by the IgG heavy (50 kDa) and light chains (25 kDa). In general, this interference tends to originate from secondary antibodies which recognize primary antibodies released with the antigen during the immunoprecipitation procedure or endogenous IgGs from the lysate itself. This antibody only recognize native (non-reduced) antibodies and therefore the detection of heavy and light chains is highly minimized. This antibody has no reaction with Rabbit/Human IgGs.


## Target Information

**Protein Name** 

## Validation Data



Immunoprecipitating GAPDH in Hela whole cell lysate with mouse anti GAPDH antibody(Catalog YM3029). Western blot was performed on the immunoprecipitate using anti-GAPDH antibody at 1:5000 dilution, and followed by the AbFlour 800 labeled anti-Mouse IgG antibody at 1:5000 dilution. Lane 1 (Input): 20ug Hela whole cell lysate. Lane 2 (-):Mouse monoclonal IgG1 Isotype Control(Catalog VN0001, ) instead of GAPDH antibody in Hela whole cell lysate. Lane 3 (+): 6ug GAPDH antibody IP in 1000ug Hela whole cell lysate



Immunoprecipitating GAPDH in Hela whole cell lysate with mouse anti GAPDH antibody(Catalog YM3029). Western blot was performed on the immunoprecipitate using anti-GAPDH antibody at 1:5000 dilution, and followed by the AbFlour 800 labeled anti-Mouse IgG antibody at 1:5000 dilution. Lane 1 (Input): 20ug Hela whole cell lysate. Lane 2 (-):Mouse monoclonal IgG1 Isotype Control(Catalog VN0001, ) instead of GAPDH antibody in Hela whole cell lysate. Lane 3 (+): 6ug GAPDH antibody IP in 1000ug Hela whole cell lysate

### **Contact information**

Orders:	order@immunoway.com
Support:	tech@immunoway.com
Telephone:	877-594-3616 (Toll Free), 408-747-0185
Website:	http://www.immunoway.com
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: Nanoantibody anti Mouse for IP (AbFluor 800) For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3