

# **Goat Anti Human IgM mu chain (FITC)**

CatalogNo: RS2306

## **Key Features**

**Host Species** 

Goat

Reactivity

Human

**Applications** 

IF,FC

Conjugate

FITC

#### **Recommended Dilution Ratios**

Optimal working dilutions should be determined experimentally by the investigator Suggested starting dilutions are:IF 1:250-1:2000 Flow Cyt 1:250-1:2000

#### Storage

Storage\*

Stable for one year at -15°C to -25°C from date of shipment. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. Aliquot to avoid repeated freezing and thawing

**Formulation** 

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

## **Basic Information**

# Immunogen Information

## | Target Information

**Protein Name** 

## | Validation Data

## | Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

Goat Anti Human

IgM mu chain (FITC)

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents