

Goat Anti Pig IgG(H+L) (AbFluor 680)

CatalogNo: RS4010

Key Features

Host Species
• Goat

Reactivity

Pig

ApplicationsIF,FC,WB

Conjugate • AbFluor 680

Recommended Dilution Ratios

Suggested starting 1:50-1:1000 dilutions for most fluorescent applications while 1:5000-20000 dilutions for fluorescent assays with LI-1:COR® Odyssey equipment would be recommended.

Storage

Storage*	Stable for one year at -15°C to -25°C from date of shipment. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. Aliquot to avoid repeated freezing and thawing
Formulation	1 mg/ml, liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA, 50% glycerol, 0.02% Sodium Azide

Basic Information

Immunogen Information

Target Information

Protein Name

Validation Data

Alexa H	Fluor	350	346/442	Blue
Alexa H	Fluor	405	401/421	Blue
Alexa H	Fluor	488	496/519	Green
Alexa H	Fluor	532	532/553	Yellow
Alexa H	Fluor	555	555/565	Yellow
Alexa H	Fluor	568	578/603	Red/Orange
Alexa H	Fluor	594	590/617	Red/Orange
Alexa H	Fluor	633	632/647	
Alexa H	Fluor	647	650/665	Red
Alexa H	Fluor	660	663/690	Near IR
Alexa H	Fluor	680	679/702	Near IR
Alexa H	Fluor	750	749/775	Near IR
Alexa H	Fluor	790	784/814	Near IR

To use the Alexa Fluors with fluorescent imagers, use a spectral line of the blue laser diode for Alexa Fluors 405, a cyan (488 nm) laser for Alexa Fluors 488, a yellow (526 nm) laser for Alexa Fluor 550 or 594, and a red (633 nm) laser for Alexa Fluor 649. The Alexa Fluor 680 and 790 fluors are compatible with laser- and filter-based infrared imaging instruments that emit in the 700 nm, and 800 nm

Contact information

order@immunoway.com
tech@immunoway.com
877-594-3616 (Toll Free), 408-747-0185
http://www.immunoway.com
2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: Goat Anti Pig IgG(H+L) (AbFluor 680)

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents