

CD2 (PN0436) Nb-FC recombinant antibody

CatalogNo: YA0096 Recombinant R

Key Features

Reactivity Applications
• Human • ELISA

Recommended Dilution Ratios

ELISA 1:5000-100000 Flow Cyt 1-2µg/Test

Storage

Storage* -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

Basic Information

Source Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Purification Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Clone Number PN0436

Immunogen Information

Immunogen Purified recombinant Human CD2

Specificity This recombinant monoclonal antibody can detects endogenous levels of CD2 protein.

| Target Information

Gene name CD2 SRBC

Protein Name T-cell surface antigen CD2 (Erythrocyte receptor) (LFA-2) (LFA-3 receptor) (Rosette

receptor) (T-cell surface antigen T11/Leu-5) (CD antigen CD2)

Organism Gene ID UniProt ID

Human <u>7056;</u> <u>P06729;</u>

Cellular Localization Cell membrane ; Single-pass type I membrane protein .

Tissue specificity Endothelial cells are unique in synthesizing thrombomodulin.


Function CD2 interacts with lymphocyte function-associated antigen (LFA-3) and CD48/BCM1 to

mediate adhesion between T-cells and other cell types. CD2 is implicated in the triggering of T-cells, the cytoplasmic domain is implicated in the signaling function., online

information:CD2 entry,similarity:Contains 1 Ig-like C2-type (immunoglobulin-like) domain.,similarity:Contains 1 Ig-like V-type (immunoglobulin-like) domain.,subunit:Interacts

with CD2AP (By similarity). Interacts with PSTPIP1.,

Validation Data



| Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
CD2 (PN0436) Nb-FC recombinant antibody