

CD314 (PN0261) Nb-FC recombinant antibody

CatalogNo: YA0191 Recombinant R

Key Features

Reactivity Applications
• Human • ELISA

Recommended Dilution Ratios

ELISA 1:5000-100000

Storage

Storage* -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

Basic Information

Source Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Purification Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Clone Number PN0261

Immunogen Information

Immunogen Purified recombinant Human CD314

Specificity This recombinant monoclonal antibody can detects endogenous levels of CD314/NKG2D

protein.

| Target Information

Gene name KLRK1 D12S2489E NKG2D

Protein Name NKG2-D type II integral membrane protein (Killer cell lectin-like receptor subfamily K

member 1) (NK cell receptor D) (NKG2-D-activating NK receptor) (CD antigen CD314)

Organism Gene ID UniProt ID

Human <u>3902;</u> <u>P26718;</u>

Cellular Localization Cell membrane ; Single-pass type II membrane protein . Colocalized with HCST on the cell

surface.

Tissue specificity Primarily expressed in activated T-cells and a subset of natural killer (NK) cells.

Function Alternative products: A number of isoforms are produced, Receptor for MICA, MICB, ULBP1,

ULBP2, ULBP3 (ULBP2>ULBP1>ULBP3) and ULBP4. Plays a role as a receptor for the recognition of MHC class I HLA-E molecules by NK cells and some cytotoxic T-cells. Involved in the immune surveillance exerted by T- and B-lymphocytes., miscellaneous: Structurally

distinct families of ligands for mouse and human NKG2D receptors have been

characterized. They might be orthologs.,online information:NKG-2D,similarity:Contains 1 C-type lectin domain.,subunit:Homodimer. Interacts with DAP10. The interaction with DAP10

is required for NKG2D cell surface expression., tissue specificity: Natural killer cells.

Expressed on essentially all CD56+CD3- NK cells from freshly isolated PBMC. Also detected in gamma-delta cells and CD8+ alpha-beta T-cells. Expressed in interferon-producing killer

dendritic cells (IKDCs).,

Validation Data

Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

CD314 (PN0261) Nb-

FC recombinant antibody

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents