

# CD117 (PN0515) Nb-FC recombinant antibody

CatalogNo: YA0262 Recombinant R

# Key Features

Reactivity

Human

Applications
• ELISA

#### **Recommended Dilution Ratios**

ELISA 1:5000-100000

# **Storage**

**Storage\*** -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

### **Basic Information**

Source	Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain , recombinantly produced from 293F cell
Purification	Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain , recombinantly produced from 293F cell
<b>Clone Number</b>	PN0515

# Immunogen Information

Immunogen	Purified recombinant Human CD117
Specificity	This recombinant monoclonal antibody can detects endogenous levels of CD117 protein.

# **Target Information**

#### Gene name KIT SCFR

**Protein Name** Mast/stem cell growth factor receptor Kit (SCFR) (Piebald trait protein) (PBT) (Protooncogene c-Kit) (Tyrosine-protein kinase Kit) (p145 c-kit) (v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog) (CD antigen CD117)

	Saleonia vital oneogene noniology (eb antigen ebiti)				
	Organism	Gene ID	UniProt ID		
	Human	<u>342510;</u>	<u>P10721;</u>		
	Mouse	<u>16590;</u>	<u>P05532;</u>		
Cellular Localization	[Isoform 1]: Cell membrane; Single-pass type I membrane protein.; [Isoform 2]: Cell membrane; Single-pass type I membrane protein.; [Isoform 3]: Cytoplasm . Detected in the cytoplasm of spermatozoa, especially in the equatorial and subacrosomal region of the sperm head				
Tissue specificity	Present on the surface of mature hematopoietic cells of the monocyte and myeloid lineages (at protein level).				
Function	Catalytic activity:ATP + a [protein]-L-tyrosine = ADP + a [protein]-L-tyrosine phosphate.,Disease:Defects in KIT are a cause of gastrointestinal stromal tumor (GIST) [MIM:606764].,Disease:Defects in KIT are a cause of piebaldism [MIM:172800]. Piebaldism is an autosomal dominant genetic developmental abnormality of pigmentation characterized by congenital patches of white skin and hair that lack melanocytes.,Disease:Defects in KIT have been associated with testicular tumors [MIM:273300]. It includes germ cell tumor (GCT) or testicular germ cell tumor (TGCT).,This is the receptor for stem cell factor (mast cell growth factor). It has a tyrosine-protein kinase activity. Binding of the ligands leads to the autophosphorylation of KIT and its association with substrates such as phosphatidylinositol 3-kinase (Pi3K).,online information:CD117 entry,similarity:Belongs to the protein kinase superfamily. Tyr protein kinase family.,similarity:Belongs to the protein kinase superfamily. Tyr protein kinase family. CSF-1/PDGF receptor subfamily.,similarity:Contains 1 protein kinase domain.,similarity:Contains 5 Ig-like C2-type (immunoglobulin-like) domains.,subunit:Interacts with APS. Interacts with MPDZ (via the tenth PDZ domain). Interacts with PTPRU.,				

### Validation Data

### **Contact information**

order@immunoway.com
tech@immunoway.com
877-594-3616 (Toll Free), 408-747-0185
http://www.immunoway.com
2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: CD117 (PN0515) Nb-FC recombinant antibody For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3