

# CD31 (PN0092) Nb-FC recombinant antibody

CatalogNo: YA0620 Recombinant R

#### **Key Features**

Reactivity Applications
• Human • FC,ELISA

## **Recommended Dilution Ratios**

ELISA 1:5000-100000

### Storage

**Storage\*** -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

**Formulation** Phosphate-buffered solution

#### **Basic Information**

**Source** Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain , recombinantly

produced from 293F cell

**Purification** Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Clone Number PN0092

### Immunogen Information

Immunogen Purified recombinant Human CD31

**Specificity** This recombinant monoclonal antibody can detects endogenous levels of CD31 protein.

### **Target Information**

**Gene name** PECAM1

**Protein Name** Platelet endothelial cell adhesion molecule (PECAM-1) (EndoCAM) (GPIIA') (PECA1) (CD antigen CD31)

Organism Gene ID UniProt ID

Human <u>3565;</u> <u>P16284;</u>

#### Cellular Localization

Cell membrane; Single-pass type I membrane protein. Cell surface expression on neutrophils is down-regulated upon fMLP or CXCL8/IL8-mediated stimulation..; [Isoform Long]: Cell membrane; Single-pass type I membrane protein. Membrane raft. Cell junction. Localizes to the lateral border recycling compartment (LBRC) and recycles from the LBRC to the junction in resting endothelial cells..; [Isoform Delta15]: Cell junction. Localizes to the lateral border recycling compartment (LBRC) and recycles from the LBRC to the junction in resting endothelial cells.


#### Tissue specificity Blood, PCR rescued clones

#### **Function** This protein is a cell adhesion molecule expressed on platelets and at endothelial cell

tissues examined with the strongest expression in heart.,

intercellular junctions.,online information:CD31 entry,online information:PECAM-1,online information:The Singapore human mutation and polymorphism database,PTM:Phosphorylated on Ser and Tyr residues after cellular activation.,similarity:Contains 6 Ig-like C2-type (immunoglobulin-like) domains.,tissue specificity:Long isoform predominates all tissues examined, isoform Delta12 was detected only in trachea and isoform Delta14-15 only in lung, isoform Delta14 was detected in all

#### Validation Data



### | Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: CD31 (PN0092) Nb-FC recombinant

antibody

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody   ELISA Kits   Protein   Reagents
	Immunoway - 3 / 3