

ERK 3 protein

CatalogNo: YD0030

| Key Features

Reactivity
• Human

ApplicationsWB,SDS-PAGE

Recommended Dilution Ratios

WB 1:500-2000

Storage

Storage* -20°C/6 month,-80°C for long storage

Formulation Liquid in PBS

Basic Information

Source E.coli

Purification E.coli

Purity SDS-PAGE >90%

Immunogen Information

Squence Amino acid: 538-721, with his-MBP tag.

| Target Information

Gene name MAPK6

Protein Name ERK3 protein

Organism	Gene ID	UniProt ID
Human	<u>5597</u> ;	<u>Q16659;</u>

Cellular Localization Cytoplasm . Nucleus . Translocates to the cytoplasm following interaction with MAPKAPK5. .

Tissue specificity Highest expression in the skeletal muscle, followed by the brain. Also found in heart,

placenta, lung, liver, pancreas, kidney and skin fibroblasts.

Function Catalytic activity:ATP + a protein = ADP + a

phosphoprotein.,cofactor:Magnesium.,Domain:The TXY motif contains the threonine and

tyrosine residues whose phosphorylation activates the MAP kinases..enzyme


regulation: Activated by threonine and tyrosine phosphorylation., Function: Phosphorylates microtubule-associated protein 2 (MAP2). May promote entry in the cell cycle...PTM:Dually phosphorylated on Thr-626 and Tyr-628, which activates the enzyme., similarity: Belongs to

the protein kinase superfamily. CMGC Ser/Thr protein kinase family. MAP kinase

subfamily., similarity: Contains 1 protein kinase domain., tissue specificity: Highest expression in the skeletal muscle, followed by the brain. Also found in heart, placenta, lung, liver,

pancreas, kidney and skin fibroblasts.,

I Validation Data



Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the OR code to access additional product information: