

p38 protein

CatalogNo: YD0079

Key Features

Reactivity

Human

Applications
• WB,SDS-PAGE

Recommended Dilution Ratios

WB 1:500-2000

Storage

Storage*	-20°C/6 month,-80°C for long storage
Formulation	Liquid in PBS

Basic Information

Source	E.coli
Purification	E.coli
Purity	SDS-PAGE >90%

Immunogen Information

Squence Amino acid: 292-360, with his-MBP tag.


Target Information

Gene name MAPK14

Protein Name p38 protein

	Organism	Gene ID	UniProt ID	
	Human	<u>1432;</u>	<u>Q16539;</u>	
	Mouse		<u>P47811;</u>	
Cellular Localization	Cytoplasm . Nucleus .			
Tissue specificity	Brain, heart, placenta, pancreas and skeletal muscle. Expressed to a lesser extent in lung, liver and kidney.			
Function	cell cycle checkpoint, DNA damage checkpoint, skeletal system development, angiogenesis, blood vessel development,vasculature development, chondrocyte differentiation, response to molecule of bacterial origin, monosaccharide metabolic process, glucose metabolic process, regulation of transcription, DNA-dependent, regulation of transcription from RNA polymerase II promoter, protein amino acid phosphorylation, fatty acid metabolic process, phosphorus metabolic process, phosphate metabolic process, cell motion, chemotaxis, response to DNA damage stimulus, cell surface receptor linked signal transduction, intracellular signaling cascade, protein kinase cascade, small GTPase mediated signal transduction, Ras protein signal transduction, muscle organ development, skeletal muscle tissue development, behavior, locomotory behavior, response to bacterium, positive regulation of biosynthetic process, response to organic substance, positive regulation of macromolecule biosynthetic process, fatty acid oxidation, lipid modification, positive regulation of cellular biosynthetic process, fully acid oxidation, lipid modification, positive regulation of cellular biosynthetic process, DNA integrity checkpoint, lipopolysaccharide-mediated signaling pathway, response to peptidoglycan, response to muramyl dipeptide, response to lipopolysaccharide, regulation of homeostatic process, cellular response to stress, lipid oxidation, taxis, DNA damage response, signal transduction, regulation of erythrocyte differentiation, positive regulation of erythrocyte differentiation, positive regulation of transcription, DNA-dependent, positive regulation of mucleobase, nucleoside, nucleotide and nucleic acid metabolic process, positive regulation of transcription, positive regulation of transcription from RNA polymerase II promoter, blood vessel morphogenesis, positive regulation of developmental process, positive regulation of nitrogen compound metabolic process, cartilage development, regulation of RNA metabolic process, positive regulation of R			

Validation Data



Contact information

order@immunoway.com
tech@immunoway.com
877-594-3616 (Toll Free), 408-747-0185
http://www.immunoway.com
2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **p38 protein**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents