

Recombinant SARS-CoV-2 (Covid-19) Spike protein fragment 2

CatalogNo: YD2193

Key Features

Reactivity

- Human virus

MW

- 20kD (Calculated)

Applications

- ELISA, ECL, Immunogold,

Recommended Dilution Ratios

Testing in progress

Storage

Storage*

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8 °C for one week . Store at -20 to -80 °C for twelve months from the date of receipt.

Basic Information

| | |
|--------------|--------------------------------|
| Source | E.coli |
| Purification | E.coli |
| Purity | >90% as determined by SDS-PAGE |

Immunogen Information

Target Information

Gene name S

| | | | |
|---------------------|----------------------------------|-----------------------------|-------------------|
| Protein Name | Spike glycoprotein,Spike protein | | |
| | Organism | Gene ID | UniProt ID |
| | Human | QHD43416.1; | |

Function Protein S (PROS1) is glycoprotein and expressed in many cell types supporting its reported involvement in multiple biological processes that include coagulation, apoptosis, cancer development and progression, and the innate immune response. Known receptors bind S1 are ACE2, angiotensin-converting enzyme 2, DPP4, CEACAM etc.. The spike (S) glycoprotein of coronaviruses is known to be essential in the binding of the virus to the host cell at the advent of the infection process. Most notable is severe acute respiratory syndrome (SARS). The severe acute respiratory syndrome-coronavirus (SARS-CoV) spike (S) glycoprotein alone can mediate the membrane fusion required for virus entry and cell fusion. It is also a major immunogen and a target for entry inhibitors. It's been reported that 2019-nCoV can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

| Validation Data

| Contact information

Orders: order@immunoway.com
 Support: tech@immunoway.com
 Telephone: 877-594-3616 (Toll Free), 408-747-0185
 Website: <http://www.immunoway.com>
 Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
Recombinant SARS-CoV-2 (Covid-19) Spike protein fragment 2

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)