

CLEC1B (CLEC2) recombinant protein

CatalogNo: YD3014

| Key Features

Reactivity

Human

Recommended Dilution Ratios

Storage

Storage* -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

Basic Information

Source	Mammalian cells
Purification	Mammalian cells
Purity	>90% as determined by SDS-PAGE

Immunogen Information

Squence Amino acid:55-229,with human FC tag.

| Target Information

Gene name CLEC1B

Protein Name

C-type lectin domain family 1 member B (C-type lectin-like receptor 2) (CLEC-2)

Organism Gene ID UniProt ID

Human 51266: Q9P126;

Cellular Localization Membrane; Single-pass type II membrane protein.

Tissue specificity Expressed preferentially in the liver. Also expressed in immune cells of myeloid origin and on the surface of platelets.

Function

C-type lectin-like receptor that functions as a platelet receptor for the lymphatic endothelial marker, PDPN (PubMed:18215137). After ligand activation, signals via sequential activation of SRC and SYK tyrosine kinases leading to activation of PLCG2 (PubMed:18955485).: (Microbial infection) Acts as a receptor for the platelet-aggregating snake venom protein rhodocytin. Rhodocytin binding leads to tyrosine phosphorylation and this promotes the binding of spleen tyrosine kinase (SYK) and initiation of downstream tyrosine phosphorylation events and activation of PLCG2 (PubMed:16174766, PubMed:18955485).;

(Microbial infection) Acts as an attachment factor for Human immunodeficiency virus type 1 (HIV-1) and facilitates its capture by platelets (PubMed:16940507).

Validation Data

Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the OR code to access additional product information: CLEC1B (CLEC2) recombinant protein

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents