

#### CD94 Mouse mAb

CatalogNo: YM0138

#### **Key Features**

**Host Species** 

Reactivity

**Applications** 

Mouse

Human

WB,Flow Cyt,ELISA

21kD (Calculated)

#### Recommended Dilution Ratios

WB 1:500-1:2000 Flow Cyt 1:200-1:400

**ELISA 1:10000** 

Not yet tested in other applications.

#### Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

#### **Basic Information**

**Clonality** Monoclonal

#### Immunogen Information

**Immunogen** Purified recombinant fragment of human CD94 expressed in E. Coli.

**Specificity** CD94 Monoclonal Antibody detects endogenous levels of CD94 protein.

### | Target Information

Gene name KLRD1

**Protein Name** 

Natural killer cells antigen CD94

Organism	Gene ID	UniProt ID	
Human	<u>3824;</u>	<u>Q13241;</u>	
Mouse		<u>054707;</u>	

#### Cellular Localization


Cell membrane; Single-pass type II membrane protein.

Tissue specificity Expressed in NK cell subsets (at protein level) (PubMed:21825173, PubMed:9430220, PubMed:9485206). Expressed in memory/effector CD8-positive alpha-beta T cell subsets (at protein level) (PubMed:12387742, PubMed:20952657). Expressed in melanoma-specific cytotoxic T cell clones (at protein level) (PubMed:9485206). Expressed in terminally differentiated cytotoxic gamma-delta T cells (at protein level) (PubMed:20952657). KLRD1-KLRC1 and KLRD1-KLRC2 are differentially expressed in NK and T cell populations, with only minor subsets expressing both receptor complexes (at protein level) (PubMed:20952657).


**Function** 

Function: Plays a role as a receptor for the recognition of MHC class I HLA-E molecules by NK cells and some cytotoxic T-cells..online information:CD94.similarity:Contains 1 C-type lectin domain., subunit: Can form disulfide-bonded heterodimer with NKG2 family members., tissue specificity: Natural killer cells.,


## **| Validation Data**



Western Blot analysis using CD94 Monoclonal Antibody against recombinant protein.



Flow cytometric analysis of RAJI cells using CD94 Monoclonal Antibody (green) and negative control (purple).



# | Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **CD94 Mouse mAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents