

### eEF2 Mouse mAb

CatalogNo: YM1295

# **| Key Features**

**Host Species** 

Reactivity

**Applications** 

Mouse

Human

WB,IHC,IF,ELISA

MW

• 95kD (Observed)

#### **Recommended Dilution Ratios**

WB 1:5000 ICC 1:200

# Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

#### **Basic Information**

**Clonality** Monoclonal

# Immunogen Information

**Immunogen** Purified recombinant human eEF2 protein fragments expressed in E.coli.

**Specificity** This antibody detects endogenous levels of eEF2 and does not cross-react with related

proteins.

# | Target Information

Gene name

eef2

Protein Name	Organism	Gene ID	UniProt ID
	Human	<u>1938;</u>	<u>P13639;</u>
	Mouse	<u>13629</u> ;	<u>P58252;</u>

#### Cellular Localization


Cytoplasm . Nucleus . Phosphorylation by CSK promotes cleavage and SUMOylation-dependent nuclear translocation of the C-terminal cleavage product. .

**Tissue specificity** Brain, Cajal-Retzius cell, Epithelium, Hepatocyte, Ovary, Periph


#### **Function**

Function:This protein promotes the GTP-dependent translocation of the nascent protein chain from the A-site to the P-site of the ribosome.,PTM:Diphthamide is 2-[3-carboxyamido-3-(trimethyl-ammonio)propyl]histidine. Diphthamide can be ADP-ribosylated by diphtheria toxin and by Pseudomonas exotoxin A.,PTM:Phosphorylation by EF-2 kinase completely inactivates EF-2.,similarity:Belongs to the GTP-binding elongation factor family. EF-G/EF-2 subfamily.,subunit:Component of the mRNA surveillance SURF complex, at least composed of ERF1, ERF3 (ERF3A or ERF3B), EEF2, UPF1/RENT1, SMG1, SMG8 and SMG9.,

#### **Validation Data**



Western blot detection of eEF2 in HL-60, Jurkat, SHSY-5Y, U20S and Hela cell lysates using eEF2 mouse mAb (1:5000 diluted). Predicted band size: 95KDa. Observed band size: 95KDa. Exposure time: 15s.



Immunocytochemistry staining of HeLa cells fixed with -20°C Methanol and using anti-eEF2 mouse mAb (dilution 1:200).

# | Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **eEF2 Mouse mAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents