

# CDX2 (14H6) Mouse mAb

CatalogNo: YM3057 Orthogonal Validated 💽

#### **Key Features**

**Host Species** 

Mouse

Reactivity

Human, Mouse, Rat

**Applications** 

WB,IF,IHC

MW

42kD (Observed)

#### Recommended Dilution Ratios

WB 1:1000 IHC 1:200 IF 1:200

### Storage

**Storage\*** -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.

#### **Basic Information**

**Clonality** Monoclonal

Clone Number 14H6

# Immunogen Information

**Immunogen** Synthetic Peptide of CDX2

**Specificity** The antibody detects endogenous CDX2 proteins.

## | Target Information

**Gene name** CDX2

**Protein Name** Homeobox protein CDX-2

Organism Gene ID UniProt ID

Human 1045; Q99626;

Marra	12501	D42241.
Mouse	12591;	P43241;

Cellular Localization Nucleus.

**Tissue specificity** Detected in small intestine, colon and pancreas.


**Function** Function:Involved in the transciptional regulation of multiple genes expressed in the

intestinal epithelium. Important in broad range of functions from early differentiation to maintenance of the intestinal epithelial lining of both the small and large intestine..PTM:Phosphorylation of Ser-60 mediates the transactivation


capacity., similarity: Belongs to the Caudal homeobox family., similarity: Contains 1 homeobox

DNA-binding domain.,


#### **Validation Data**




Liu, Huiming, et al. "The role of CDX2 in renal tubular lesions during diabetic kidney disease." Aging (Albany NY) 13.5 (2021): 6782.



Liu, Huiming, et al. "The role of CDX2 in renal tubular lesions during diabetic kidney disease." Aging (Albany NY) 13.5 (2021): 6782.



Immunofluorescence analysis of Hela cell. 1,Amyloid- $\beta$  Polyclonal Antibody(green) was diluted at 1:200(4° overnight). (red) was diluted at 1:200(4° overnight). 2, Goat Anti Rabbit Alexa Fluor 488 Catalog:RS3211 was diluted at 1:1000(room temperature, 50min). Goat Anti Mouse Alexa Fluor 594 Catalog:RS3608 was diluted at 1:1000(room temperature, 50min).



Immunohistochemical analysis of paraffin-embedded Human-colon tissue. 1,CDX2 Monoclonal Antibody(14H6) was diluted at 1:200(4°C,overnight). 2, Sodium citrate pH 6.0 was used for antibody retrieval(>98°C,20min). 3,Secondary antibody was diluted at 1:200(room tempeRature, 30min). Negative control was used by secondary antibody only.

### | Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: CDX2 (14H6) Mouse mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents