

DDDDK-Tag(binds to flag sequence) (12M11) Mouse mAb

CatalogNo: YM3808

Orthogonal Validated Protein Overexpression Recombinant Comparable Abs 

Key Features

Host Species

- Mouse

Reactivity

- Species independent

Applications

- WB,ELISA,IP,IF,CoIP

Isotype

- VH IgG1 and VL Kappa

Recommended Dilution Ratios

WB 1:10000-50000

ELISA 1:20000-50000

IP 1:50-1:200

IF 1:1000 -3000

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)**Formulation** PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.

Basic Information

Source Mouse VH IgG1 and VL Kappa was expressed from 293F cells**Purification** Mouse VH IgG1 and VL Kappa was expressed from 293F cells**Purity** >95% SDS-PAGE**Clonality** Monoclonal**Clone Number** 12M11

Immunogen Information

Immunogen

Synthetic Peptide of Flag-Tag

Specificity


This recombinant antibody can highly specifically recognize the Flag tags of C-terminal and N-terminal of recombinant protein. Variable region gene of this antibody comes from the mouse gene library immunized with DDDK peptide. Constant region of this antibody is mouse IgG1 and mouse kappa.

Target Information


Gene name Flag tag; Flag-tag,DDDDK TAG, DDDDK-TAG, DYKDDDDK tag,DYKDDDDK-tag

Protein Name


Validation Data




RPS15 interacted with IGF2BP1 to promote esophageal squamous cell carcinoma development via recognizing m6A modification. Zhihua Liu WB,IP Human 1:5000 HEK 293 T cell,KYSE30 cell,KYSE450 cell




Western Blot analysis of 293F cells transfected or non-tansfected DDDK-tag expression vector by primary antibody at 1:10000 dilution. Lane 1 3 5: 293F cell lysis. Lane 2 4 6: tansfected DDDK-tag expression vector. Secondary antibody(catalog#:RS23920) was diluted at 1:10000



Western Blot analysis of various cells using primary antibody at 1:10000 dilution. Secondary antibody(catalog#:RS0001) was diluted at 1:10000



1) Input: 293T transfected N-flag protein Lysate 2) IP product: IP dilute 1:200, 293T transfected N-flag protein Lysate Western blot analysis: primary antibody : 1:10000 Secondary antibody: Goat anti-Mouse IgG(RS0001), 1:5000



Immunofluorescence analysis of 293T transfected FLAG and GFP tag protein. 1, FLAG primary Antibody(red YM3808) was diluted at 1:1000(4°C overnight), GFP primary Antibody(green YN5582) was diluted at 1:1000(4°C overnight),

Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com
Telephone: 877-594-3616 (Toll Free), 408-747-0185
Website: <http://www.immunoway.com>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code
to access additional
product information:
**DDDDK-Tag(binds
to flag sequence)
(12M11) Mouse mAb**