

xCT (PT0398R) PT® Rabbit mAb

CatalogNo: YM8243 Recombinant R

Key Features

Host Species

Rabbit

MW

 55kD (Calculated) 37kD (Observed)

Reactivity · Human, Mouse, Rat,

Isotype IgG,Kappa **Applications**

WB,IHC,IF,IP,ELISA

Recommended Dilution Ratios

IHC 1:200-1:1000 WB 1:1000-1:5000 IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200,

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

Basic Information

Clonality Monoclonal

Clone Number PT0398R

Immunogen Information

Specificity Endogenous

| Target Information

Gene name

SLC7A11

Protein Name

Cystine/glutamate transporter (Amino acid transport system xc-) (Calcium channel blocker resistance protein CCBR1) (Solute carrier family 7 member 11) (xCT)

Organism	Gene ID	UniProt ID
Human	<u>23657;</u>	Q9UPY5;
Mouse	<u>26570</u> ;	Q9WTR6;

Cellular Localization Membrane


Function

Sodium-independent, high-affinity exchange of anionic amino acids with high specificity for anionic form of cystine and glutamate.


Validation Data




Human brain was stained with anti-xCT rabbit antibody



Mouse brain was stained with anti-xCT rabbit antibody



Rat brain was stained with anti-xCT rabbit antibody



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Anti-xCT antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: unboiled HEK293 Predicted band size: 55kDa Observed band size: 37kDa

| Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: xCT (PT0398R) PT® Rabbit mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents