

BNI3L (PT0956R) PT® Rabbit mAb

CatalogNo: YM8567 Recombinant R

Key Features

Host Species

Rabbit

MW
• 24kD (Calculated)

38kD (Observed)

Reactivity

Human, Mouse, Rat

Isotype

IgG, Kappa

Applications

WB,IHC,IF,IP,ELISA

Recommended Dilution Ratios

IHC 1:200-1:1000 WB 1:500-1:2000 IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

Basic Information

Clonality Monoclonal

Clone Number PT0956R

Immunogen Information

Specificity Endogenous

Target Information

Gene name

BNIP3L BNIP3A BNIP3H NIX

Protein Name

BCL2/adenovirus E1B 19 kDa protein-interacting protein 3-like (Adenovirus E1B19K-binding protein B5) (BCL2/adenovirus E1B 19 kDa protein-interacting protein 3A) (NIP3-like protein X) (NIP3L)

| Organism | Gene ID | UniProt ID | |
|----------|--------------|----------------|--|
| Human | <u>665</u> ; | <u>060238;</u> | |
| Mouse | | <u>Q9Z2F7;</u> | |

Cellular Localization


Nucleus envelope. Endoplasmic reticulum. Mitochondrion outer membrane. Membrane; Single-pass membrane protein. Colocalizes with SPATA18 at the mitochondrion outer membrane.

Tissue specificity Bone marrow, Brain, Cervix, Epithelium, Fetal liver, Hair follicle dermal papill

Function

Function:Induces apoptosis. Interacts with viral and cellular anti-apoptosis proteins. Can overcome the suppressors BCL-2 and BCL-XL, although high levels of BCL-XL expression will inhibit apoptosis. May function as a tumor suppressor. Inhibits apoptosis induced by BNIP3.,PTM:Undergoes progressive proteolysis to an 11 kDa C-terminal fragment, which is blocked by the proteasome inhibitor lactacystin., similarity: Belongs to the NIP3 family,,subunit:Self-associates. Interacts with BNIP3 and STEAP3. Interacts with human adenovirus-2 E1B 19 kDa protein.,

Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-BNI3L (PT0956R) antibody. The HRPconjugated Goat anti-Rabbit IgG (H + L) antibody was used to detect the antibody. Lane 1: MCF7 Predicted band size: 24kDa Observed band size: 38kDa

Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
BNI3L (PT0956R)
PT® Rabbit mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents