

# PI3-Kinase p110γ (PT1040R) PT® Rabbit mAb

CatalogNo: YM8829 Recombinant R

### **Key Features**

**Host Species** 

Rabbit

MW

127kD (Calculated)
 127kD (Observed)

Reactivity

· Human, Mouse, Rat

Isotype

IgG,Kappa

ApplicationsWB,IF,IP,ELISA

#### Recommended Dilution Ratios

WB 1:2000-1:10000 IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200

### Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

#### **I** Basic Information

**Clonality** Monoclonal

Clone Number PT1040R

## Immunogen Information

**Specificity** Endogenous

## | Target Information

Gene name PIK3CG

**Protein Name** Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit gamma isoform

Organism	Gene ID	UniProt ID	
Human	<u>5294</u> ;	<u>P48736;</u>	
Mouse		Q9JHG7;	

Cellular Localization Cytoplasm . Cell membrane .

**Tissue specificity** Pancreas, skeletal muscle, liver and heart.


**Function** Catalytic activity:ATP + 1-phosphatidyl-1D-myo-inositol 4,5-bisphosphate = ADP + 1-

phosphatidyl-1D-myo-inositol 3,4,5-trisphosphate.,enzyme regulation:Activated by both the

alpha and the beta-gamma G proteins., Function:3-phosphorylates the cellular phosphoinositide PtdIns-4,5-biphosphate (PtdIns(4,5)P2) to produce PtdIns-3, 4,5-triiphosphate (PtdIns(3,4,5)P3). Links G-protein coupled receptor activation to the secondary messenger PtdIns(3,4,5)P3 production., pathway: Phospholipid metabolism; phosphatidylinositol phosphate biosynthesis., similarity: Belongs to the PI3/PI4-kinase family., similarity: Contains 1 PI3K/PI4K domain., subunit: Heterodimer of a catalytic subunit (PIK3CG/p120) and a regulatory (PIK3R5a/p101) subunit., tissue specificity: Pancreas,

skeletal muscle, liver and heart.,

#### **Validation Data**



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-PI3-Kinase p110 $\gamma$  (PT1040R) antibody. The HRP-conjugated Goat anti-Rabbit IgG (H + L) antibody was used to detect the antibody. Lane 1: NIH-3T3 Lane 2: Rat spleen Predicted band size: 127kDa Observed band size: 127kDa

#### Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
PI3-Kinase p110γ
(PT1040R) PT®
Rabbit mAb

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody   ELISA Kits   Protein   Reagents
	Immunoway - 3 / 3