Applications



3BHS1 Rabbit pAb

CatalogNo: YN0349

Key Features

Host Species Reactivity

Rabbit
Human,Rat,Mouse,
WB,ELISA

MW Isotype • 41kD (Observed) • IgG

Recommended Dilution Ratios

WB 1:500-2000 ELISA 1:5000-20000

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol,0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized peptide derived from human protein . at AA range: 30-110

Specificity 3BHS1 Polyclonal Antibody detects endogenous levels of protein.

| Target Information

Gene name HSD3B1 3BH HSDB3A

Protein Name

3 beta-hydroxysteroid dehydrogenase/Delta 5-->4-isomerase type 1 (3 beta-hydroxysteroid dehydrogenase/Delta 5-->4-isomerase type I) (3-beta-HSD I) (Trophoblast antigen FDO161G) [Includes: 3-beta-hydroxy-Delta(5)-steroid dehydrogenase (3-beta-hydroxy-5-ene steroid dehydrogenase) (Progesterone reductase); Steroid Delta-isomerase (Delta-5-3ketosteroid isomerase)]

Organism	Gene ID	UniProt ID
Human	<u>3283;</u>	<u>P14060;</u>
Mouse		<u>P24815;</u>
Rat		<u>P22071;</u>

Cellular Localization


Endoplasmic reticulum membrane; Single-pass membrane protein. Mitochondrion membrane; Single-pass membrane protein.

Tissue specificity Placenta and skin (PubMed:1401999). Predominantly expressed in mammary gland tissue.

Function

Catalytic activity: A 3-beta-hydroxy-Delta(5)-steroid + NAD(+) = a 3-oxo-Delta(5)-steroid + NADH., Catalytic activity: A 3-oxo-Delta(5)-steroid = a 3-oxo-Delta(4)-steroid., Function: 3beta-HSD is a bifunctional enzyme, that catalyzes the oxidative conversion of Delta(5)ene-3-beta-hydroxy steroid, and the oxidative conversion of ketosteroids. The 3-beta-HSD enzymatic system plays a crucial role in the biosynthesis of all classes of hormonal steroids.,pathway:Lipid metabolism; steroid biosynthesis.,similarity:Belongs to the 3-beta-HSD family., tissue specificity: Placenta and skin. Predominantly expressed in mammary gland tissue.,

Validation Data



Western blot analysis of lysates from Jurkat cells, primary antibody was diluted at 1:1000, 4° over night

I Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **3BHS1 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents