

## MY18A Rabbit pAb

CatalogNo: YN0912

### Key Features

**Host Species**

- Rabbit

**Reactivity**

- Human, Mouse

**Applications**

- WB, ELISA

**MW**

- 225kD (Observed)

**Isotype**

- IgG

### Storage

**Storage\*** -15°C to -25°C/1 year (Do not lower than -25°C)**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### Recommended Dilution Ratios

**WB 1:500-2000****ELISA 1:5000-20000**

### Basic Information

**Clonality** Polyclonal

### Immunogen Information

**Immunogen** Synthesized peptide derived from human protein . at AA range: 1920-2000**Specificity** MY18A Polyclonal Antibody detects endogenous levels of protein.

### Target Information

**Gene name** MYO18A KIAA0216 MYSPDZ

**Protein Name** Unconventional myosin-XVIIIa (Molecule associated with JAK3 N-terminus) (MAJN) (Myosin containing a PDZ domain)

Organism	Gene ID	UniProt ID
Human	<a href="#">399687</a> ;	<a href="#">Q92614</a> ;
Mouse		<a href="#">Q9JMH9</a> ;

**Cellular Localization** Golgi apparatus . Golgi apparatus, trans-Golgi network . Golgi outpost . Cytoplasm, cytoskeleton, microtubule organizing center . Recruited to the Golgi apparatus by GOLPH3 (PubMed:19837035). Localizes to the postsynaptic Golgi apparatus region, also named Golgi outpost, which shapes dendrite morphology by functioning as sites of acentrosomal microtubule nucleation (By similarity). . ; [Isoform 1]: Endoplasmic reticulum-Golgi intermediate compartment . Cytoplasm, cytoskeleton . Colocalizes with actin. . ; [Isoform 2]: Cytoplasm . Lacks the PDZ domain (PubMed:12761286). Diffusely localized in the cytoplasm (PubMed:12761286). . ; [Isoform 5]: Cell surface .

**Tissue specificity** Amygdala,Brain,Epithelium,Liver,Peripheral blood,Platelet,Testis,

**Function** Caution:The TIAF1 protein is coded in the 3'-UTR region of MYO18A.,Function:May be involved in the maintenance of the stromal cell architectures required for cell to cell contact.,similarity:Contains 1 IQ domain.,similarity:Contains 1 myosin head-like domain.,similarity:Contains 1 PDZ (DHR) domain.,subcellular location:Colocalizes with actin.,subcellular location:Lacks the PDZ domain. Diffusely localized in the cytoplasm.,subunit:Homodimer. Interacts with JAK3 and actin.,

## | Validation Data

## | Contact information

Orders: [order@immunoway.com](mailto:order@immunoway.com)  
Support: [tech@immunoway.com](mailto:tech@immunoway.com)  
Telephone: 877-594-3616 (Toll Free), 408-747-0185  
Website: <http://www.immunoway.com>  
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:  
**MY18A Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)