Applications

WB,ELISA



NRX1B Rabbit pAb

CatalogNo: YN0951

Key Features

Host Species Reactivity

 Rabbit · Human, Rat, Mouse

Isotype 48kD (Observed) IgG

Recommended Dilution Ratios

WB 1:500-2000 ELISA 1:5000-20000

Storage

MW

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

I Basic Information

Polyclonal **Clonality**

Immunogen Information

Immunogen Synthesized peptide derived from human protein . at AA range: 260-340

Specificity NRX1B Polyclonal Antibody detects endogenous levels of protein.

| Target Information

Gene name NRXN1

Protein Name

Neurexin-1-beta (Neurexin I-beta)

Organism	Gene ID	UniProt ID
Human	<u>9378;</u>	<u>P58400;</u>
Mouse		<u>P0D197;</u>
Rat		Q63373;

Cellular Localization

Cell junction, synapse, presynaptic cell membrane; Single-pass type I membrane protein.

Function

Alternative products: A number of isoforms are produced by alternative promoter usage including the alpha-type (shown here) and beta-type (AC P58400) isoforms which differ in their N-terminus, Additional isoforms may be produced by alternative splicing. Alternative products: A number of isoforms, alpha-type (AC O9ULB1) and beta-type (shown here), are produced by alternative promoter usage. Beta-type isoforms differ from alpha-type isoforms in their N-terminus, Function: Neuronal cell surface protein that may be involved in cell recognition and cell adhesion by forming intracellular junctions through binding to neuroligins. May play a role in formation or maintenance of synaptic junctions. May mediate intracellular signaling., Function: Neuronal cell surface protein that may be involved in cell recognition and cell adhesion. May mediate intracellular signaling, PTM: Highly Oglycosylated and minor N-glycosylated., PTM: N- and O-glycosylated., similarity: Belongs to the neurexin family., similarity: Contains 1 laminin G-like domain., similarity: Contains 3 EGF-like domains., similarity: Contains 6 Iaminin G-like domains., subunit: The cytoplasmic C-terminal region binds to CASK, CASKIN1 and APBA1. The laminin G-like domain 2 binds to NXPH1. Specific isoforms bind to alpha-dystroglycan and to alpha-latroxin. Interacts with SYT13 and SYTL1., subunit: The cytoplasmic C-terminal region binds to CASK. Isoforms Beta 4b bind neuroligins NLGN1, NLGN2 and NLGN3, alpha-dystroglycan and alpha-latrotoxin.,tissue specificity: Heart and brain.,

| Validation Data

| Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

NRX1B Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents