

OSTCN Rabbit pAb

CatalogNo: YN2113

| Key Features

Host Species

- Rabbit

Reactivity

- Human,Rat,Mouse

Applications

- WB IF,ELISA

MW

- 11kD (Observed)

Isotype

- IgG

| Recommended Dilution Ratios

WB 1:500-2000

IF 1:100-300

ELISA 1:5000-20000

Not yet tested in other applications.

| Storage

Storage*

-15°C to -25°C/1 year(Do not lower than -25°C)

Formulation

Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.

| Basic Information

Clonality

Polyclonal

| Immunogen Information

Immunogen

Synthesized peptide derived from part region of human protein AA range: 31-80

Specificity

OSTCN Polyclonal Antibody detects endogenous levels of protein.

| Target Information

Gene name	BGLAP		
Protein Name	Osteocalcin (Bone Gla protein) (BGP) (Gamma-carboxyglutamic acid-containing protein)		
	Organism	Gene ID	UniProt ID
	Human	632;	P02818;
	Mouse		P86546;
	Rat		P04640;
Cellular Localization	Secreted.		
Tissue specificity	Brain,Cerebellum,Colon,Lung carcinoma,Skin,Testis,Uterus,		
Function	<p>Function:Constitutes 1-2% of the total bone protein. It binds strongly to apatite and calcium.,Function:Part of the MIS12 complex which is required for normal chromosome alignment and segregation and kinetochore formation during mitosis. May act as a cotranscription partner of NFE2L2 involved in regulation of polyamine-induced transcription of SSAT.,induction:By polyamine analogs in analog-sensitive H157 cells.,online information:Osteocalcin entry,PTM:Gamma-carboxyglutamate residues are formed by vitamin K dependent carboxylation. These residues are essential for the binding of calcium.,similarity:Belongs to the osteocalcin/matrix Gla protein family.,similarity:Contains 1 Gla (gamma-carboxy-glutamate) domain.,subcellular location:Associated with the kinetochore.,subunit:Component of the MIS12 complex composed of MIS12, DSN1, NSL1 and PMF1. Interacts with COPS7A. Interacts via its coiled-coil domain with the leucine-zipper domain of NFE2L2. The interaction with NFE2L2 is required for the transcriptional regulation of SSAT.,tissue specificity:Highest levels of expression in heart and skeletal muscle, with significant levels expressed in kidney and liver.,</p>		

Validation Data

Contact information

Orders: order@immunoway.com
 Support: tech@immunoway.com
 Telephone: 877-594-3616 (Toll Free), 408-747-0185
 Website: <http://www.immunoway.com>
 Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code
 to access additional
 product information:
OSTCN Rabbit pAb