

BIVM Rabbit pAb

CatalogNo: YN3513

| Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse

Applications

- WB

MW

- 55kD (Calculated)

Isotype

- IgG

| Recommended Dilution Ratios

WB 1:500-2000

| Storage

Storage*

-15°C to -25°C/1 year (Do not lower than -25°C)

Formulation

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

| Basic Information

Clonality

Polyclonal

| Immunogen Information

Immunogen

Synthesized peptide derived from human BIVM AA range: 450-500

Specificity

This antibody detects endogenous levels of BIVM at Human/Mouse

| Target Information

Gene name

BIVM

Protein Name BIVM


Organism	Gene ID	UniProt ID
Human	54841;	Q86UB2;
Mouse	246229;	Q8CBX9;

Cellular Localization Cytoplasm . Nucleus .

Tissue specificity Widely expressed. Expressed at higher level in spleen, ovary, small intestine, colon, peripheral blood leukocytes and liver. Also expressed in testis, ovary, aorta, appendix, trachea, pituitary gland, bladder, uterus, spinal cord, salivary gland, stomach, mammary gland and bone marrow. Weakly or not expressed in fetal spleen, adult thymus and certain cancer cell lines.

Function similarity:Belongs to the BIVM family.,tissue specificity:Widely expressed. Expressed at higher level in spleen, ovary, small intestine, colon, peripheral blood leukocytes and liver. Also expressed in testis, ovary, aorta, appendix, trachea, pituitary gland, bladder, uterus, spinal cord, salivary gland, stomach, mammary gland and bone marrow. Weakly or not expressed in fetal spleen, adult thymus and certain cancer cell lines.,

Validation Data



Western blot analysis of lysates from MDA-MB cells, primary antibody was diluted at 1:1000, 4° over night

Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com
Telephone: 877-594-3616 (Toll Free), 408-747-0185
Website: <http://www.immunoway.com>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
BIVM Rabbit pAb

