

SPY1 Rabbit pAb

CatalogNo: YN3905 Comparable Abs C

Key Features

Host Species Reactivity Applications
• Rabbit • Human, Mouse • IF, WB, CoIP

MW Isotype
• 35kD (Calculated) • IgG

Recommended Dilution Ratios

WB 1:500-2000 IP 1:50-100 IF 1:50-200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized peptide derived from human SPY1 AA range: 129-179

Specificity This antibody detects endogenous levels of SPY1 at Human/Mouse

| Target Information

Gene name SPRY1

Protein Name

SPY1

Organism	Gene ID	UniProt ID
Human	<u>10252;</u>	<u>043609;</u>
Mouse	24063;	Q9QXV9;


Cellular Localization

Cytoplasm. Membrane; Peripheral membrane protein. Found in the cytoplasm in unstimulated cells but is translocated to the membrane ruffles in cells stimulated with EGF (epidermal growth factor).

Function

Domain:The Cys-rich domain is responsible for the localization of the protein to the membrane ruffles.,Function:May function as an antagonist of fibroblast growth factor (FGF) pathways and may negatively modulate respiratory organogenesis.,induction:By FGF signaling.,similarity:Belongs to the sprouty family.,similarity:Contains 1 SPR (sprouty) domain.,subcellular location:Found in the cytoplasm in unstimulated cells but is translocated to the membrane ruffles in cells stimulated with EGF (epidermal growth factor).,

| Validation Data



Western blot analysis of lysates from HEK293 cells, primary antibody was diluted at 1:1000, 4°over night

| Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **SPY1 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody ELISA Kits Protein Reagents
	Immunoway - 3 / 3