

Myc-Tag Rabbit pAb

CatalogNo: YN5506

Orthogonal Validated Comparable Abs 

Key Features

Host Species

- Rabbit

Reactivity

- Species independent

Applications

- WB,ELISA,IP

Isotype

- IgG

Recommended Dilution Ratios

WB 1:5000**IP 1:200****ELISA 1:5000-20000**

Storage

Storage*

-15°C to -25°C/1 year(Do not lower than -25°C)

Formulation

PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.

Basic Information

Clonality

Polyclonal

Immunogen Information

Immunogen

Synthetic peptide EQKLISEEDL coupled to KLH.

Specificity


The antibody detects C-Myc fusion proteins.

Target Information


Gene name Myc Tag

Protein Name Myc-Tag


Validation Data




RPS15 interacted with IGF2BP1 to promote esophageal squamous cell carcinoma development via recognizing m6A modification. Zhihua Liu WB,IP Human 1:5000 HEK 293 T cell,KYSE30 cell,KYSE450 cell



Zhang, Di, et al. "BHLHE41 suppresses MCF-7 cell invasion via MAPK/JNK pathway." Journal of cellular and molecular medicine 24.7 (2020): 4001-4010.



Chen, Jie, et al. "KLHL22 activates amino-acid-dependent mTORC1 signalling to promote tumorigenesis and ageing." Nature (2018)



1ug C-Myc fusion protein+ Primary antibody dilution at 1) 1:5000 2) 1:20000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

| Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com
Telephone: 877-594-3616 (Toll Free), 408-747-0185
Website: <http://www.immunoway.com>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code
to access additional
product information:
Myc-Tag Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)