Applications

WB,ELISA



Chk2 (Phospho Ser516) Rabbit pAb

CatalogNo: YP0064 Orthogonal Validated (9)

Key Features

Host Species Reactivity Rabbit Human, Monkey

MW Isotype

 61kD (Observed) IgG

Recommended Dilution Ratios

WB 1:500-1:2000 **ELISA 1:10000**

Not yet tested in other applications.

Storage

-15°C to -25°C/1 year(Do not lower than -25°C) Storage*

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

The antiserum was produced against synthesized peptide derived from human Chk2 **Immunogen**

around the phosphorylation site of Ser516. AA range:486-535

Specificity Phospho-Chk2 (S516) Polyclonal Antibody detects endogenous levels of Chk2 protein

> only when phosphorylated at S516. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following

modification sequence (lowercase letters are modification sites):QPsTS

Target Information

Gene name

CHEK2

Protein Name

Serine/threonine-protein kinase Chk2

Organism	Gene ID	UniProt ID	
Human	<u>11200;</u>	<u>096017;</u>	
Mouse		<u>Q9Z265;</u>	

Cellular Localization [Isoform 2]: Nucleus. Isoform 10 is present throughout the cell.; [Isoform 4]: Nucleus.; [Isoform 7]: Nucleus.; [Isoform 9]: Nucleus.; [Isoform 12]: Nucleus.; Nucleus, PML body. Nucleus, nucleoplasm. Recruited into PML bodies together with TP53.

Tissue specificity High expression is found in testis, spleen, colon and peripheral blood leukocytes. Low expression is found in other tissues.

Function


Catalytic activity:ATP + a protein = ADP + a

phosphoprotein.,cofactor:Magnesium.,Disease:Defects in CHEK2 are associated with Li-Fraumeni syndrome 2 (LFS2) [MIM:609265]; a highly penetrant familial cancer phenotype usually associated with inherited mutations in p53/TP53., Disease: Defects in CHEK2 are found in some patients with osteosarcoma (OSRC) [MIM:259500]., Disease: Defects in CHEK2 are found in some patients with prostate cancer (CaP) [MIM:176807].,enzyme regulation:Rapidly phosphorylated on Thr-68 by MLTK in response to DNA damage and to replication block. Kinase activity is also up-regulated by autophosphorylation., Function: Regulates cell cycle checkpoints and apoptosis in response to DNA damage, particularly to DNA double-strand breaks. Inhibits CDC25C phosphatase by phosphorylation on 'Ser-216', preventing the entry into mitosis. May also play a role in


meiosis. Regulates the TP53 tumor suppressor through phosphorylation at 'Thr-18' and 'Ser-20'..similarity:Belongs to the protein kinase superfamily. CAMK Ser/Thr protein kinase family. CHK2 subfamily., similarity: Contains 1 FHA domain., similarity: Contains 1 protein kinase domain., subcellular location: Isoform 10 is present throughout the cell., tissue specificity: High expression is found in testis, spleen, colon and peripheral blood leukocytes.

Low expression is found in other tissues.,

| Validation Data



Western Blot analysis of various cells using Phospho-Chk2 (S516) Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).



Western blot analysis of lysates from HeLa cells treated with UV, using Chk2 (Phospho-Ser516) Antibody. The lane on the right is blocked with the phospho peptide.

| Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
Chk2 (Phospho
Ser516) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents