**Applications** 

WB,IHC,IF,ELISA



# MEK-4 (Phospho Thr261) Rabbit pAb

CatalogNo: YP0172 Orthogonal Validated 💽

## **Key Features**

Host Species Reactivity

Rabbit
 Human, Mouse, Rat

MW Isotype • 48kD (Observed) • IgG

## **Recommended Dilution Ratios**

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:10000 IF 1:50-200

## Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

## **Basic Information**

**Clonality** Polyclonal

## Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human

SEK1/MKK4 around the phosphorylation site of Thr261. AA range:227-276

#### **Specificity**

Phospho-MEK-4 (T261) Polyclonal Antibody detects endogenous levels of MEK-4 protein only when phosphorylated at T261. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):AKtRD

## **Target Information**

**Gene name** 

MAP2K4

**Protein Name** 

Dual specificity mitogen-activated protein kinase kinase 4

Organism	Gene ID	UniProt ID
Human	<u>6416;</u>	<u>P45985;</u>
Mouse	<u>26398</u> ;	<u>P47809;</u>

Cellular Localization Cytoplasm . Nucleus .

**Tissue specificity** Abundant expression is seen in the skeletal muscle. It is also widely expressed in other

tissues.

**Function** 

Catalytic activity:ATP + a protein = ADP + a phosphoprotein.,Function:Dual specificity kinase that activates the JUN kinases MAPK8 (JNK1) and MAPK9 (JNK2) as well as MAPK14 (p38) but not MAPK1 (ERK2) or MAPK3 (ERK1)., PTM: Activated by phosphorylation on Ser/Thr by MAP kinase kinase kinases., similarity: Belongs to the protein kinase


superfamily, similarity: Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase

family. MAP kinase kinase subfamily., similarity: Contains 1 protein kinase


domain., subunit: Interacts with SPAG9., tissue specificity: Abundant expression is seen in the

skeletal muscle. It is also widely expressed in other tissues.,


## **I** Validation Data



Western Blot analysis of various cells using Phospho-MEK-4 (T261) Polyclonal Antibody



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using SEK1/MKK4 (Phospho-Thr261) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from 293 cells treated with UV 15', using SEK1/MKK4 (Phospho-Thr261) Antibody. The lane on the right is blocked with the phospho peptide.

## I Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

MEK-4 (Phospho
Thr261) Rabbit pAb