Applications

WB,ELISA



Vimentin (Phospho Tyr61) Rabbit pAb

CatalogNo: YP0275

Key Features

Host Species Reactivity

Rabbit
 Human,Rat,Mouse,

MW Isotype
• 57kD (Observed) • IgG

Recommended Dilution Ratios

WB 1:500-1:2000 ELISA 1:10000

Not yet tested in other applications.

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized phospho-peptide around the phosphorylation site of human Vimentin

(phospho Tyr61)

Specificity Phospho-Vimentin (Y61) Polyclonal Antibody detects endogenous levels of Vimentin

protein only when phosphorylated at Y61. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following

modification sequence (lowercase letters are modification sites):GVyAT

| Target Information

Gene name

VIM

Protein Name

Vimentin

Organism	Gene ID	UniProt ID
Human	<u>7431</u> ;	<u>P08670;</u>
Mouse		<u>P20152;</u>

Cellular Localization


Cytoplasm . Cytoplasm, cytoskeleton . Nucleus matrix . Cell membrane .

Tissue specificity Highly expressed in fibroblasts, some expression in T- and B-lymphocytes, and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary carcinoma cell lines.


Function

Function: Vimentins are class-III intermediate filaments found in various non-epithelial cells, especially mesenchymal cells., online information: Vimentin entry, PTM: One of the most prominent phosphoproteins in various cells of mesenchymal origin. Phosphorylation is enhanced during cell division, at which time vimentin filaments are significantly reorganized., sequence Caution: Intron retention., similarity: Belongs to the intermediate filament family, subunit: Homopolymer. Interacts with HCV core protein. Interacts with LGSN and SYNM., tissue specificity: Highly expressed in fibroblasts, some expression in T- and Blymphocytes, and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary carcinoma cell lines.,

I Validation Data



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Vimentin (Phospho-Tyr61) Antibody



Western blot analysis of lysate from Jurkat cells, using phospho-Vimentin (Phospho-Tyr61) antibody.

| Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **Vimentin (Phospho**

Tyr61) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents