

# p90RSK (Phospho Ser380) Rabbit pAb

Isotype

IgG

CatalogNo: YP0314

#### **Key Features**

**Host Species** 

Reactivity Rabbit · Human, Mouse, Rat **Applications** WB,IHC,IF,ELISA

MW

83kD (Observed)

#### Recommended Dilution Ratios

WB 1:500-1:2000 IHC 1:100-1:300 **ELISA 1:10000** IF 1:50-200

### Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

#### **I** Basic Information

Clonality Polyclonal

#### Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human p90 RSK

around the phosphorylation site of Ser380. AA range:346-395

**Specificity** Phospho-Rsk-1 (S380) Polyclonal Antibody detects endogenous levels of Rsk-1 protein

only when phosphorylated at S380. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):GFsFV

### | Target Information

Gene name RPS6KA1 MAPKAPK1A RSK1

**Protein Name** Ribosomal protein S6 kinase alpha-1

Organism	Gene ID	UniProt ID
Human	<u>6195</u> ;	<u>Q15418;</u>
Mouse		<u>P18653</u> ;
Rat	<u>81771</u> ;	<u>Q63531</u> ;

Cellular Localization Nucleus. Cytoplasm.

Tissue specificity Colon, Epithelium,

**Function** Catalytic activity:ATP + a protein = ADP + a phosphoprotein.,Caution:The sequence shown

here is derived from an Ensembl automatic analysis pipeline and should be considered as

preliminary data.,cofactor:Magnesium.,enzyme regulation:Activated by multiple

phosphorylations on threonine and serine residues.,Function:Serine/threonine kinase that may play a role in mediating the growth-factor and stress induced activation of the transcription factor CREB.,PTM:Autophosphorylated on Ser-380, as part of the activation process.,similarity:Belongs to the protein kinase superfamily.,similarity:Belongs to the

protein kinase superfamily. AGC Ser/Thr protein kinase family. S6 kinase

subfamily., similarity: Contains 1 AGC-kinase C-terminal domain., similarity: Contains 2 protein kinase domains., subunit: Forms a complex with either ERK1 or ERK2 in quiescent cells.

Transiently dissociates following mitogenic stimulation.,

## **| Validation Data**

### Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: p90RSK (Phospho Ser380) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents