

www.immunoway.com

YB-1 (Phospho Ser102) Rabbit pAb

CatalogNo: YP0489 Orthogonal Validated 💽

Key Features

Host Species Rabbit 	Reactivity • Human,Mouse,Rat	ApplicationsWB,ELISA
MW • 36kD (Observed)	Isotype • IgG	

Recommended Dilution Ratios

WB 1:500-1:2000 ELISA 1:40000 Not yet tested in other applications.

Storage

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

ImmunogenThe antiserum was produced against synthesized peptide derived from human YB1
around the phosphorylation site of Ser102. AA range:68-117


Specificity Phospho-YB-1 (S102) Polyclonal Antibody detects endogenous levels of YB-1 protein only when phosphorylated at S102.The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):LRsVG

Target Information

Gene name	YBX1			
Protein Name	Nuclease-sensitive element-binding protein 1			
	Organism	Gene ID	UniProt ID	
	Human	<u>4904;</u>	<u>P67809;</u>	
	Mouse	<u>22608;</u>	<u>P62960;</u>	
	Rat	<u>500538;</u>	<u>P62961;</u>	
Cellular Localization	Cytoplasm . Nucleus . Cytoplasmic granule . Secreted . Secreted, extracellular exosome . Predominantly cytoplasmic in proliferating cells (PubMed:12604611). Cytotoxic stress and DNA damage enhance translocation to the nucleus (PubMed:14718551). Localized in cytoplasmic mRNP granules containing untranslated mRNAs (PubMed:25229427). Shuttles between nucleus and cytoplasm (PubMed:25229427). Localized with DDX1, MBNL1 and TIAL1 in stress granules upon stress (PubMed:18335541). Secreted by mesangial and monocytic cells after inflammatory challenges (PubMed:19483673)			
Tissue specificity	Adrenal cortex,Bone marrow,Br	ain,Epithelium,Eye,Kidne	y,Lung,Muscle,Placenta,Skin,Te	
Function	Function:Binds to splice sites in	pre-mRNA and regulates	s splice site selection. Binds and	

stabilizes cytoplasmic mRNA. Contributes to the regulation of translation by modulating the interaction between the mRNA and eukaryotic initiation factors (By similarity). Binds to promoters that contain a Y-box (5'-CTGATTGGCCAA-3'), such as HLA class II genes. Regulates the transcription of numerous genes. Promotes separation of DNA strands that contain mismatches or are modified by cisplatin. Has endonucleolytic activity and can introduce nicks or breaks into double-stranded DNA (in vitro). May play a role in DNA repair., PTM: Cleaved by a 20S proteasomal protease in response to agents that damage DNA. Cleavage takes place in the absence of ubiquitination and ATP. The resulting Nterminal fragment accumulates in the nucleus., PTM: In the absence of phosphorylation the protein is retained in the cytoplasm., similarity: Contains 1 CSD (cold-shock) domain., subcellular location: Shuttles between nucleus and cytoplasm. Predominantly cytoplasmic in proliferating cells. Cytotoxic stress and DNA damage enhance translocation to the nucleus., subunit: Component of cytoplasmic messenger ribonucleoprotein particles (mRNPs). Interacts with AKT1, SFRS9, THOC4, MSH2, XRCC5, WRN and NCL. Can bind to DNA as a homomeric form, (EFI-A)n or as a heteromeric form in association with EFI-B. Homodimer in the presence of ATP.,

Validation Data



Western blot analysis of lysates from HepG2 cells treated with PMA 125ng/ml 15', using YB1 (Phospho-Ser102) Antibody. The lane on the right is blocked with the phospho peptide.

Contact information

Orders:	order@immunoway.com
Support:	tech@immunoway.com
Telephone:	877-594-3616 (Toll Free), 408-747-0185
Website:	http://www.immunoway.com
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **YB-1 (Phospho Ser102) Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents