

MSK1 (Phospho Ser360) Rabbit pAb

CatalogNo: YP1133

Key Features

Host Species	
 Rabbit 	

ReactivityHuman,Mouse

Applications • IHC,IF,ELISA

MW • 90kD (Calculated)

Isotype • lgG

Recommended Dilution Ratios

IHC 1:100-1:300 IF 1:200-1:1000 ELISA 1:10000 Not yet tested in other applications.

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

ImmunogenThe antiserum was produced against synthesized peptide derived from human MSK1
around the phosphorylation site of Ser360. AA range:331-380

Specificity Phospho-MSK1 (S360) Polyclonal Antibody detects endogenous levels of MSK1 protein only when phosphorylated at S360.The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):TYsPA

Target Information

Protein Name

5

Ribosomal protein S6 kinase alpha-5

Organism	Gene ID	UniProt ID
Human	<u>9252;</u>	<u>075582;</u>
Mouse	<u>73086;</u>	<u>Q8C050;</u>

Cellular Nucleus. Cytoplasm. Predominantly nuclear. Exported into cytoplasm in response to Localization alucocorticoid.

Tissue specificity Widely expressed with high levels in heart, brain and placenta. Less abundant in lung, kidney and liver.

Function Catalytic activity: ATP + a protein = ADP + a phosphoprotein., cofactor: Magnesium., enzymeregulation: Appears to be activated by multiple phosphorylations on threonine and serine residues. ERK1/2 and MAPK14/p38-alpha may play a role in this process., Function: Serine/threonine kinase required for the mitogen or stress-induced phosphorylation of the transcription factors CREB (cAMP response element-binding protein) and ATF1 (activating transcription factor-1). Essential role in the control of RELA transcriptional activity in response to TNF. Directly represses transcription via phosphorylation of 'Ser-1' of histone H2A. Phosphorylates 'Ser-10' of histone H3 in response to mitogenics, stress stimuli and epidemal growth-factor (EGF), which results in the transcriptional activation of several immediate early genes, including proto-oncogenes cfos/FOS and c-jun/JUN. May also phosphorylate 'Ser-28' of histone H3. Mediates the mitogen- and stress-induced phosphorylation of high mobility group protein 14 (HMG-14)., miscellaneous: Enzyme activity requires the presence of both kinase domains., PTM:Ser-376 and Thr-581 phosphorylation is required for kinase activity. Ser-376 and Ser-212 are autophosphorylated by the C-terminal kinase domain, and their phosphorylation is essential for the catalytic activity of the N-terminal kinase domain., similarity: Belongs to the protein kinase superfamily. AGC Ser/Thr protein kinase family. S6 kinase subfamily., similarity: Contains 1 AGC-kinase C-terminal domain., similarity: Contains 2 protein kinase domains., subcellular location: Predominantly nuclear. Partially cytoplasmic., subunit: Forms a complex with either ERK1 or ERK2 in quiescent cells which transiently dissociates following mitogenic stimulation. Also associates with MAPK14/p38-alpha. Activated RPS6KA5 associates with and phosphorylates the NF-kappa-B p65 subunit RELA., tissue specificity: Widely expressed with high levels in heart, brain and placenta. Less abundant in lung, kidney and liver.,

Validation Data

Contact information

Orders:order@immunoway.comSupport:tech@immunoway.comTelephone:877-594-3616 (Toll Free), 408-747-0185Website:http://www.immunoway.comAddress:2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: MSK1 (Phospho Ser360) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents